

# SlashPRO™ SLASH RESISTANT GLOVES CATALOGUE 2017



SlashPRO™  
Clothing

# Contents

---

2. Introduction – SlashPRO™ Arm Guards & Clothing
3. About Cut-TEX® PRO

## PRODUCTS

### GLOVES

4. SlashPRO™ Slash Resistant Gloves - Ares
5. SlashPRO™ Slash Resistant Gloves - Ares Long
6. SlashPRO™ Slash Resistant Gloves - Hera
7. SlashPRO™ Slash Resistant Gloves - Heracles
8. SlashPRO™ Slash Resistant Gloves - Titan
9. SlashPRO™ Slash Resistant Gloves - Classic
10. SlashPRO™ Slash Resistant Gloves - Nemesis
11. Contact

# SlashPRO™ Clothing & Gloves

The risk of being slashed with a weapon is very much a reality for professionals working within hostile environments namely, homeland security, prison and correctional facilities and in law enforcement.

**SlashPRO™ Clothing & Gloves** can effectively help reduce the risk of such injuries, offering BS EN 388:2003 blade cut resistance level 5.

**Slash related injuries** can of course become infected and, even worse, lead to potentially life threatening injuries through blood loss. Equally, life changing physical injuries could occur which could ultimately be prevented.

This is not to mention the psychological trauma this could cause long term to the individual staff member who sustains such injuries.

SlashPRO™ is the ultimate protection in the fight against this ever increasing problem. Staff assaults are on the increase within such environments, so it pays to protect staff against the very worst case scenarios.

Whilst the focus is very much on potential attacks against staff, it may be that, indirectly, staff are required to attend an incident of self-harm, where they are then potentially exposed to risk of attack and a slashing of some description occurring.

“ I performed multiple tests on the durability of the SlashPRO™ shirt. I utilized straight and serrated blades while testing the shirt. I did not have any success piercing through the arms or shoulder area of the shirt. I believe the shirt works very well for its intended purpose.”

- Deputy Henry Schneider - Santa Rosa County Sheriff's Office - Team Leader / Emergency Response Team - Tactical Corrections Operator

## Why is SlashPRO™ Clothing So Important?

- Attacks in prisons are on the increase. There were 5,423 assaults on prison staff in the 12 months to the end of March 2016 - a rise of 40% on the previous year. This is only likely to increase further over the coming years.
- Attacks on police officers, who sustained injury, topped 7,903 in 2015. This was from a total of 23,000 reported to Health and Safety departments within police forces in the UK.
- In the USA, the FBI conducted a survey in 2013 on the number of officers assaulted with knives/blades. These were higher than the amount of attacks using firearms. This number has increased year on year up to the present day.
- According to the 2013 Correctional Officer Wellness and Safety Literature Review, correctional officers are involved in the highest amount of non-fatal violent encounters than any other occupation.
- A study by the National Institute of Justice in 2007, discovered there are approximately 2,000 correctional staff member injuries annually due to violence against officers by inmates.
- The BBC in the UK reported on 16th April 2014 that the number of serious attacks on prison officers by inmates increased by 45% in two years, figures released by Labour have revealed. In 2012, a total of 543 assaults on prison officers were referred to the police – up from 374 in 2010.
- A 2015 study in the U.S. concluded that for every 10,000 full-time Corrections Officers, there were 254 workplace assaults and violent injuries reported in 2011 that's 36 times the rate for all American workers. In 2013, 15 workplace fatalities of correctional workers were reported nationwide, in a workforce of nearly 470,000 people.
- On 27th February 2016 the UK based Mirror Newspaper claimed that prisoners have assaulted more than 1,000 prison officers in just two months. These include 95 of the highest category 'serious' assaults on staff, such as being slashed with homemade weapons. The two monthly totals is equivalent to more than 16 prison officers being attacked each day. The figures show that 905 officers were victims of the lesser 'assault' during this period. This represented a surge of 15 per cent.



SlashPRO™ Slash Resistant Gloves - Ares


# About Cut-Tex<sup>®</sup> PRO



Cut-Tex<sup>®</sup> PRO is an ultra-high performance cut, bite and slash resistant fabric, comfortable to wear, fully machine washable and of truly exceptional strength and durability - making it the ideal material for SlashPRO<sup>™</sup> Clothing.

As you can see below, Cut-Tex<sup>®</sup> PRO performs very highly in all cut, tear and abrasion tests:

## Cut-Tex<sup>®</sup> PRO Performance Charts:



Visit our website: [www.slash-pro.com](http://www.slash-pro.com)

T: +44 (0) 845 5193 953 | E: [info@slash-pro.com](mailto:info@slash-pro.com)



Product: **SlashPRO™ Slash Resistant Gloves - Ares**

Model #: **300102**



SlashPRO™ Gloves (Ares) are manufactured using Cut-Tex® PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.

For **additional needle protection** please [contact us](#)

#### Features & Benefits

- Cut-Tex® PRO provides excellent cut resistance to BS EN 388:2003 Level 5 (highest level possible)
- Lightweight nylon and elastane blend on the back of the hand
- Velcro strap keeps the gloves secure around the wrist
- Synthetic non-slip palm grip with reinforced palms and fingertips

#### Who Is This Product Suitable For?

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement

#### Blade Cut Resistance

EN 388:2003	Level 5 (the highest possible)
ISO 13997:1999	Level 5 (the highest possible)
ASTM F 1790-05	Level 4

#### Abrasion Resistance

EN 388:2003	Level 4 (the highest possible)
-------------	--------------------------------

#### Tear Resistance

EN 388:2003	Level 4 (the highest possible)
-------------	--------------------------------

Dimensional Stability Test	Achieved excellent results
----------------------------	----------------------------

CE Marking	Cat II PPE Directive
------------	----------------------

Sizes	S - 2XL
-------	---------


Clothing Care	Machine washable up to 40° Celsius
---------------	------------------------------------

Colour	Grey
--------	------

## 1. Find Your Hand Width

Wrap a tailor's measuring tape around your dominant hand just below the knuckles, excluding your thumb, and make a fist. This is your 'hand width'.


EU Glove size	US Glove size	Inches	CMs
6	<b>XS</b>	6-7	15-17
7	<b>S</b>	7-8	17-20
8	<b>M</b>	8-9	20-22
9	<b>L</b>	9-10	22-25
10	<b>XL</b>	10-11	25-27
11	<b>2XL</b>	11+	28+



## 2. Find Your Hand Length

Measure from the bottom edge of your palm to the tip of your middle finger to find your 'finger length'.

EU Glove size	US Glove size	Inches	CMs
6	<b>XS</b>	6.5	16.5
7	<b>S</b>	7	18
8	<b>M</b>	7.5	19
9	<b>L</b>	8	20
10	<b>XL</b>	8.5	21.5
11	<b>2XL</b>	9	23



Visit our website: [www.slash-pro.com](http://www.slash-pro.com)

T: +44 (0) 845 5193 953 | E: [info@slash-pro.com](mailto:info@slash-pro.com)



Product: **SlashPRO™ Slash Resistant Gloves - Ares Long**

Model #: **300109**

SlashPRO™ Gloves (Ares Long) are manufactured using Cut-Tex® PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.



For **additional needle protection** please [contact us](#)

#### Features & Benefits

- Cut-Tex® PRO provides excellent cut resistance to BS EN 388:2003 Level 5 (highest level possible)
- Lightweight nylon and elastane blend on the back of the hand
- Velcro strap keeps the gloves secure around the wrist
- Synthetic non-slip palm grip with reinforced palms and fingertips

#### Who Is This Product Suitable For?

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement

#### Blade Cut Resistance

EN 388:2003	Level 5 (the highest possible)
ISO 13997:1999	Level 5 (the highest possible)
ASTM F 1790-05	Level 4

#### Abrasion Resistance

EN 388:2003	Level 4 (the highest possible)
-------------	--------------------------------

#### Tear Resistance

EN 388:2003	Level 4 (the highest possible)
-------------	--------------------------------

Dimensional Stability Test	Achieved excellent results
----------------------------	----------------------------

CE Marking	Cat II PPE Directive
------------	----------------------

Sizes	S - 2XL
-------	---------


Clothing Care	Machine washable up to 40° Celsius
---------------	------------------------------------

Colour	Grey
--------	------

## 1. Find Your Hand Width

Wrap a tailor's measuring tape around your dominant hand just below the knuckles, excluding your thumb, and make a fist. This is your 'hand width'.


EU Glove size	US Glove size	Inches	CMs
6	<b>XS</b>	6-7	15-17
7	<b>S</b>	7-8	17-20
8	<b>M</b>	8-9	20-22
9	<b>L</b>	9-10	22-25
10	<b>XL</b>	10-11	25-27
11	<b>2XL</b>	11+	28+



## 2. Find Your Hand Length

Measure from the bottom edge of your palm to the tip of your middle finger to find your 'finger length'.

EU Glove size	US Glove size	Inches	CMs
6	<b>XS</b>	6.5	16.5
7	<b>S</b>	7	18
8	<b>M</b>	7.5	19
9	<b>L</b>	8	20
10	<b>XL</b>	8.5	21.5
11	<b>2XL</b>	9	23



Visit our website: [www.slash-pro.com](http://www.slash-pro.com)

T: +44 (0) 845 5193 953 | E: [info@slash-pro.com](mailto:info@slash-pro.com)



Product: **SlashPRO™ Slash Resistant Gloves - Hera**

Model #: **300110**



SlashPRO™ Gloves (Hera) are manufactured using Cut-Tex® PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.

For **additional needle protection** please [contact us](#)

#### Features & Benefits

- Cut-Tex® PRO provides excellent cut resistance to BS EN 388:2003 Level 5 (highest level possible)
- Lightweight nylon and elastane blend on the back of the hand
- Elasticised wrist keeps the gloves secure around the wrist

#### Who Is This Product Suitable For?

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement

#### Blade Cut Resistance

EN 388:2003	Level 5 (the highest possible)
ISO 13997:1999	Level 5 (the highest possible)
ASTM F 1790-05	Level 4

#### Abrasion Resistance

EN 388:2003	Level 4 (the highest possible)
-------------	--------------------------------

#### Tear Resistance

EN 388:2003	Level 4 (the highest possible)
-------------	--------------------------------

Dimensional Stability Test	Achieved excellent results
----------------------------	----------------------------

CE Marking	Cat II PPE Directive
------------	----------------------

Sizes	S - 2XL
-------	---------


Clothing Care	Machine washable up to 40° Celsius
---------------	------------------------------------

Colour	Grey
--------	------

## 1. Find Your Hand Width

Wrap a tailor's measuring tape around your dominant hand just below the knuckles, excluding your thumb, and make a fist. This is your 'hand width'.


EU Glove size	US Glove size	Inches	CMs
6	<b>XS</b>	6-7	15-17
7	<b>S</b>	7-8	17-20
8	<b>M</b>	8-9	20-22
9	<b>L</b>	9-10	22-25
10	<b>XL</b>	10-11	25-27
11	<b>2XL</b>	11+	28+



## 2. Find Your Hand Length

Measure from the bottom edge of your palm to the tip of your middle finger to find your 'finger length'.

EU Glove size	US Glove size	Inches	CMs
6	<b>XS</b>	6.5	16.5
7	<b>S</b>	7	18
8	<b>M</b>	7.5	19
9	<b>L</b>	8	20
10	<b>XL</b>	8.5	21.5
11	<b>2XL</b>	9	23



Visit our website: [www.slash-pro.com](http://www.slash-pro.com)

T: +44 (0) 845 5193 953 | E: [info@slash-pro.com](mailto:info@slash-pro.com)



Product: **SlashPRO™ Slash Resistant Gloves - Heracles**

Model #: **300106**



SlashPRO™ Gloves (Heracles) are manufactured using Cut-Tex® PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.

For **additional needle protection** please [contact us](#)

### Features & Benefits

- Cut-Tex® PRO provides excellent cut resistance to BS EN 388:2003 Level 5 (highest level possible)
- Kevlar® outer with leather palms - sewn with abrasion, cut and heat resistant Kevlar® thread
- Velcro strap keeps the gloves secure around the wrist
- Soft padded knuckle protection
- Synthetic non-slip palm grip with reinforced palms and fingertips

### Who Is This Product Suitable For?

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement

### Blade Cut Resistance

EN 388:2003	Level 5 (the highest possible)
ISO 13997:1999	Level 5 (the highest possible)
ASTM F 1790-05	Level 4

### Abrasion Resistance

EN 388:2003	Level 4 (the highest possible)
-------------	--------------------------------

### Tear Resistance

EN 388:2003	Level 4 (the highest possible)
-------------	--------------------------------

Dimensional Stability Test	Achieved excellent results
----------------------------	----------------------------

CE Marking	Cat II PPE Directive
------------	----------------------

Sizes	S - 2XL
-------	---------


Clothing Care	Machine washable up to 40° Celsius
---------------	------------------------------------

Colour	Grey
--------	------

## 1. Find Your Hand Width

Wrap a tailor's measuring tape around your dominant hand just below the knuckles, excluding your thumb, and make a fist. This is your 'hand width'.


EU Glove size	US Glove size	Inches	CMs
6	<b>XS</b>	6-7	15-17
7	<b>S</b>	7-8	17-20
8	<b>M</b>	8-9	20-22
9	<b>L</b>	9-10	22-25
10	<b>XL</b>	10-11	25-27
11	<b>2XL</b>	11+	28+



## 2. Find Your Hand Length

Measure from the bottom edge of your palm to the tip of your middle finger to find your 'finger length'.

EU Glove size	US Glove size	Inches	CMs
6	<b>XS</b>	6.5	16.5
7	<b>S</b>	7	18
8	<b>M</b>	7.5	19
9	<b>L</b>	8	20
10	<b>XL</b>	8.5	21.5
11	<b>2XL</b>	9	23



Visit our website: [www.slash-pro.com](http://www.slash-pro.com)

T: +44 (0) 845 5193 953 | E: [info@slash-pro.com](mailto:info@slash-pro.com)





Product: **SlashPRO™ Slash Resistant Gloves - Titan**

Model #: **300116**

SlashPRO™ Gloves (Titan) are manufactured using Cut-Tex® PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.

For **additional needle protection** please [contact us](#)

**Features & Benefits**

- Cut-Tex® PRO provides excellent cut resistance to BS EN 388:2003 Level 5 (highest level possible)
- 100% Cow hide leather palm
- Carbon knuckle protection with ventilation on the fingers
- Synthetic non-slip back and palm grip
- Soft padded cuff with Velcro strap to secure around wrist

**Who Is This Product Suitable For?**

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement

**Blade Cut Resistance**

EN 388:2003	Level 5 (the highest possible)
ISO 13997:1999	Level 5 (the highest possible)
ASTM F 1790-05	Level 4

**Abrasion Resistance**

EN 388:2003	Level 4 (the highest possible)
-------------	--------------------------------

**Tear Resistance**

EN 388:2003	Level 4 (the highest possible)
-------------	--------------------------------

Dimensional Stability Test	Achieved excellent results
----------------------------	----------------------------

CE Marking	Cat II PPE Directive
------------	----------------------

Sizes	S - 2XL
-------	---------


Clothing Care	Machine washable up to 40° Celsius
---------------	------------------------------------

Colour	Grey
--------	------

**1. Find Your Hand Width**

Wrap a tailor's measuring tape around your dominant hand just below the knuckles, excluding your thumb, and make a fist. This is your 'hand width'.


EU Glove size	US Glove size	Inches	CMs
6	<b>XS</b>	6-7	15-17
7	<b>S</b>	7-8	17-20
8	<b>M</b>	8-9	20-22
9	<b>L</b>	9-10	22-25
10	<b>XL</b>	10-11	25-27
11	<b>2XL</b>	11+	28+



**2. Find Your Hand Length**

Measure from the bottom edge of your palm to the tip of your middle finger to find your 'finger length'.

EU Glove size	US Glove size	Inches	CMs
6	<b>XS</b>	6.5	16.5
7	<b>S</b>	7	18
8	<b>M</b>	7.5	19
9	<b>L</b>	8	20
10	<b>XL</b>	8.5	21.5
11	<b>2XL</b>	9	23



Visit our website: [www.slash-pro.com](http://www.slash-pro.com)

T: +44 (0) 845 5193 953 | E: [info@slash-pro.com](mailto:info@slash-pro.com)



Product: **SlashPRO™ Slash Resistant Gloves - Classic**

Model #: **300104**



SlashPRO™ Gloves (Classic) are manufactured using Cut-Tex® PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.

For **additional needle protection** please [contact us](#)

**Features & Benefits**

- Cut-Tex® PRO provides excellent cut resistance to BS EN 388:2003 Level 5 (highest level possible)
- 100% Cow hide leather outer shell
- Elasticised wrist keeps the gloves secure around the wrist

**Who Is This Product Suitable For?**

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement

**Blade Cut Resistance**

EN 388:2003	Level 5 (the highest possible)
ISO 13997:1999	Level 5 (the highest possible)
ASTM F 1790-05	Level 4

**Abrasion Resistance**

EN 388:2003	Level 4 (the highest possible)
-------------	--------------------------------

**Tear Resistance**

EN 388:2003	Level 4 (the highest possible)
-------------	--------------------------------

Dimensional Stability Test	Achieved excellent results
----------------------------	----------------------------

CE Marking	Cat II PPE Directive
------------	----------------------

Sizes	S - 2XL
-------	---------


Clothing Care	Machine washable up to 40° Celsius
---------------	------------------------------------

Colour	Grey
--------	------

**1. Find Your Hand Width**

Wrap a tailor's measuring tape around your dominant hand just below the knuckles, excluding your thumb, and make a fist. This is your 'hand width'.


EU Glove size	US Glove size	Inches	CMs
6	<b>XS</b>	6-7	15-17
7	<b>S</b>	7-8	17-20
8	<b>M</b>	8-9	20-22
9	<b>L</b>	9-10	22-25
10	<b>XL</b>	10-11	25-27
11	<b>2XL</b>	11+	28+



**2. Find Your Hand Length**

Measure from the bottom edge of your palm to the tip of your middle finger to find your 'finger length'.

EU Glove size	US Glove size	Inches	CMs
6	<b>XS</b>	6.5	16.5
7	<b>S</b>	7	18
8	<b>M</b>	7.5	19
9	<b>L</b>	8	20
10	<b>XL</b>	8.5	21.5
11	<b>2XL</b>	9	23



Visit our website: [www.slash-pro.com](http://www.slash-pro.com)

T: +44 (0) 845 5193 953 | E: [info@slash-pro.com](mailto:info@slash-pro.com)



Product: **SlashPRO™ Slash Resistant Gloves - Nemesis**

Model #: **300111**

SlashPRO™ Gloves (Nemesis) are manufactured using Cut-Tex® PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.



For **additional needle protection** please [contact us](#)

**Features & Benefits**

- Cut-Tex® PRO provides excellent cut resistance to BS EN 388:2003 Level 5 (highest level possible)
- Nomex® Fire Resistant Outer
- Elasticised wrist with extended arm for protection of the Radial artery
- Silicone dotted palm and fingers
- Leather padded knuckle protection

**Who Is This Product Suitable For?**

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement

**Blade Cut Resistance**

EN 388:2003	Level 5 (the highest possible)
ISO 13997:1999	Level 5 (the highest possible)
ASTM F 1790-05	Level 4

**Abrasion Resistance**

EN 388:2003	Level 4 (the highest possible)
-------------	--------------------------------

**Tear Resistance**

EN 388:2003	Level 4 (the highest possible)
-------------	--------------------------------

Dimensional Stability Test	Achieved excellent results
----------------------------	----------------------------

CE Marking	Cat II PPE Directive
------------	----------------------

Sizes	S - 2XL
-------	---------


Clothing Care	Machine washable up to 40° Celsius
---------------	------------------------------------

Colour	Grey
--------	------

**1. Find Your Hand Width**

Wrap a tailor's measuring tape around your dominant hand just below the knuckles, excluding your thumb, and make a fist. This is your 'hand width'.


EU Glove size	US Glove size	Inches	CMs
6	<b>XS</b>	6-7	15-17
7	<b>S</b>	7-8	17-20
8	<b>M</b>	8-9	20-22
9	<b>L</b>	9-10	22-25
10	<b>XL</b>	10-11	25-27
11	<b>2XL</b>	11+	28+



**2. Find Your Hand Length**

Measure from the bottom edge of your palm to the tip of your middle finger to find your 'finger length'.

EU Glove size	US Glove size	Inches	CMs
6	<b>XS</b>	6.5	16.5
7	<b>S</b>	7	18
8	<b>M</b>	7.5	19
9	<b>L</b>	8	20
10	<b>XL</b>	8.5	21.5
11	<b>2XL</b>	9	23



Visit our website: [www.slash-pro.com](http://www.slash-pro.com)

T: +44 (0) 845 5193 953 | E: [info@slash-pro.com](mailto:info@slash-pro.com)

# Contact

---

## PPSS Group

Whitfield Business Park  
Unit 1-2, Manse Lane  
Knaresborough  
HG5 8BS  
United Kingdom

T: **+44 (0) 845 5193 953**

E: **[info@ppss-group.com](mailto:info@ppss-group.com)**

W: **[www.ppss-group.com](http://www.ppss-group.com)**



Visit our website: [www.slash-pro.com](http://www.slash-pro.com)

T: +44 (0) 845 5193 953 | E: [info@slash-pro.com](mailto:info@slash-pro.com)