

SlashPRO® SLASH RESISTANT GLOVES CATALOGUE 2019



SlashPRO®
Clothing

Contents

2. Introduction – SlashPRO® Slash Resistant Clothing
3. About Cut-Tex® PRO

GLOVES

4. SlashPRO® Slash Resistant Gloves - Ares
5. SlashPRO® Slash Resistant Gloves - Ares Long
6. SlashPRO® Slash Resistant Gloves - Hera
7. SlashPRO® Slash Resistant Gloves - Heracles
8. SlashPRO® Slash Resistant Gloves - Titan
9. SlashPRO® Slash Resistant Gloves - Classic
10. SlashPRO® Slash Resistant Gloves - Nemesis
11. Contact

SlashPRO® Clothing & Gloves

The risk of being slashed with an edged weapon is a harsh reality for those working in hostile environments.

Professionals in homeland security, prisons, correctional facilities and law enforcement face potential attacks, as well as being required to attend incidents of self-harm where a person may become violent.

Slash related injuries can cause severe infection, life-changing disabilities and even fatal blood loss. This is not to mention the long-term psychological trauma inflicted on the member of staff.

Assaults on frontline professionals are on the rise – so it pays to protect staff against the very worst-case scenarios.

SlashPRO® Clothing effectively helps to reduce the risks of slash related injuries. All garments offer BS EN 388:2016 blade cut resistance level 5, providing professionals with the ultimate defense against an ever-increasing problem.

“ I performed multiple tests on the durability of the SlashPRO® shirt. I utilized straight and serrated blades while testing the shirt. I did not have any success piercing through the arms or shoulder area of the shirt. I believe the shirt works very well for its intended purpose.

- Deputy Henry Schneider - Santa Rosa County Sheriff's Office - Team Leader / Emergency Response Team - Tactical Corrections Operator

Why is SlashPRO® Clothing So Important?

- Attacks on police officers, who sustained injury, topped 7,903 in 2015. This was from a total of 23,000 reported to Health and Safety departments within police forces in the UK.
- In the USA, the FBI conducted a survey in 2013 on the number of officers assaulted with knives/blades. These were higher than the amount of attacks using firearms. This number has increased year on year up to the present day.
- Attacks in prisons are on the increase. There were 5,423 assaults on prison staff in the 12 months to the end of March 2016 - a rise of 40% on the previous year. This is only likely to increase further over the coming years.
- According to the 2013 Correctional Officer Wellness and Safety Literature Review, correctional officers are involved in the highest amount of non-fatal violent encounters than any other occupation.
- A study by the National Institute of Justice in 2007, discovered there are approximately 2,000 correctional staff member injuries annually due to violence against officers by inmates.
- The BBC reported in April 2014 that the number of serious attacks on UK prison officers by inmates increased by 45% in two years.
- A study in the US concluded that, in 2011, for every 10,000 full-time corrections officers, there were 254 workplace assaults and violent injuries - 36 times the rate for all American workers. In 2013, 15 workplace fatalities of correctional workers were reported nationwide, in a workforce of nearly 470,000 people.
- On 27th February 2016 the UK based Mirror Newspaper claimed that prisoners have assaulted more than 1,000 prison officers in just two months. These include 95 of the highest category 'serious' assaults on staff, such as being slashed with homemade weapons. The two monthly totals is equivalent to more than 16 prison officers being attacked each day. The figures show that 905 officers were victims of the lesser 'assault' during this period. This represented a surge of 15%.



SlashPRO® Slash Resistant Gloves - Ares



Visit our website: www.slash-pro.com

T: +44 (0) 845 5193 953 | E: info@slash-pro.com

About Cut-Tex® PRO

Cut-Tex® PRO

The Ultimate Cut Protection™

Cut-Tex® PRO is an ultra-high performance cut, bite and slash resistant fabric, comfortable to wear, fully machine washable and of truly exceptional strength and durability - making it the ideal material for BitePRO® Arm Guards.

As you can see below, Cut-Tex® PRO performs very highly in all cut, tear and abrasion tests:

Cut-Tex® PRO Performance Chart:

➤ **Cut Resistance** - ANSI/ISEA 2016 Blade Resistance Levels A1-A9



➤ **Abrasion Resistance** - EN 388:2016 Abrasion Resistance Levels 1-4



➤ **Cut Resistance** - EN 388:2003 (coupe test) Cut Resistance Levels 1-5



➤ **Tear Resistance** - EN 388:2016 Tear Resistance Levels 1-4



➤ **Puncture Resistance** - EN 388:2016 Puncture Resistance Levels 1-4



➤ **Cut Resistance** - EN ISO 13997 (TDM-100 Test)





Product: **SlashPRO® Slash Resistant Gloves - Ares**

Model #: **300102**



SlashPRO® Gloves (Ares) are manufactured using Cut-Tex® PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.



For **additional needle protection** please [contact us](#)

Features & Benefits

- Cut-Tex® PRO provides excellent cut resistance to BS EN 388:2016 Level 5
- Lightweight nylon and elastane blend on the back of the hand
- Velcro strap keeps the gloves secure around the wrist
- Synthetic non-slip palm grip with reinforced palms and fingertips

Who Is This Product Suitable For?

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement

Blade Cut Resistance

EN 388:2016 Level 5

EN 388:2016 Level E (TDM-100 Test)

ISO 13997:1999 Level 5

ANSI/ISEA 2016 Level A5

Tear Resistance

EN 388:2016 Level 4

Abrasion Resistance

EN 388:2016 Level 3

Dimensional Stability Test Achieved excellent results

Sizes S - 2XL


Clothing Care Wipe clean

Colour Black

1. Find Your Hand Width

Wrap a tailor's measuring tape around your dominant hand just below the knuckles, excluding your thumb, and make a fist. This is your 'hand width'.


EU Glove size	US Glove size	Inches	CMs
6	XS	6-7	15-17
7	S	7-8	17-20
8	M	8-9	20-22
9	L	9-10	22-25
10	XL	10-11	25-27
11	2XL	11+	28+



2. Find Your Hand Length

Measure from the bottom edge of your palm to the tip of your middle finger to find your 'finger length'.

EU Glove size	US Glove size	Inches	CMs
6	XS	6.5	16.5
7	S	7	18
8	M	7.5	19
9	L	8	20
10	XL	8.5	21.5
11	2XL	9	23



MINIMUM ORDER QUANTITY: 50 (PLEASE CONTACT US TO ORDER)

Visit our website: www.slash-pro.com

T: +44 (0) 845 5193 953 | E: info@slash-pro.com



Product: **SlashPRO® Slash Resistant Gloves - Ares Long**

Model #: **300109**



SlashPRO® Gloves (Ares Long) are manufactured using Cut-Tex® PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.



For **additional needle protection** please [contact us](#)

Features & Benefits

- Cut-Tex® PRO provides excellent cut resistance to BS EN 388:2016 Level 5
- Lightweight nylon and elastane blend on the back of the hand
- Velcro strap keeps the gloves secure around the wrist
- Synthetic non-slip palm grip with reinforced palms and fingertips

Who Is This Product Suitable For?

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement

Blade Cut Resistance

EN 388:2016	Level 5
EN 388:2016	Level E (TDM-100 Test)
ISO 13997:1999	Level 5
ANSI/ISEA 2016	Level A5

Tear Resistance

EN 388:2016	Level 4
-------------	---------


Abrasion Resistance

EN 388:2016	Level 3
Dimensional Stability Test	Achieved excellent results
Sizes	S - 2XL
Clothing Care	Wipe clean
Colour	Black

1. Find Your Hand Width

Wrap a tailor's measuring tape around your dominant hand just below the knuckles, excluding your thumb, and make a fist. This is your 'hand width'.


EU Glove size	US Glove size	Inches	CMs
6	XS	6-7	15-17
7	S	7-8	17-20
8	M	8-9	20-22
9	L	9-10	22-25
10	XL	10-11	25-27
11	2XL	11+	28+



2. Find Your Hand Length

Measure from the bottom edge of your palm to the tip of your middle finger to find your 'finger length'.

EU Glove size	US Glove size	Inches	CMs
6	XS	6.5	16.5
7	S	7	18
8	M	7.5	19
9	L	8	20
10	XL	8.5	21.5
11	2XL	9	23



MINIMUM ORDER QUANTITY: 50 (PLEASE CONTACT US TO ORDER)

Visit our website: www.slash-pro.com

T: +44 (0) 845 5193 953 | E: info@slash-pro.com



Product: **SlashPRO® Slash Resistant Gloves - Hera**

Model #: **300110**



SlashPRO® Gloves (Hera) are manufactured using Cut-Tex® PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.



For **additional needle protection** please [contact us](#)

Features & Benefits

- Cut-Tex® PRO provides excellent cut resistance to BS EN 388:2016 Level 5
- Lightweight nylon and elastane blend on the back of the hand
- Elasticised wrist keeps the gloves secure around the wrist

Who Is This Product Suitable For?

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement

Blade Cut Resistance

EN 388:2016	Level 5
EN 388:2016	Level E (TDM-100 Test)
ISO 13997:1999	Level 5
ANSI/ISEA 2016	Level A5

Tear Resistance

EN 388:2016	Level 4
-------------	---------


Abrasion Resistance

EN 388:2016	Level 3
Dimensional Stability Test	Achieved excellent results
Sizes	S - 2XL
Clothing Care	Wipe clean
Colour	Black

1. Find Your Hand Width

Wrap a tailor's measuring tape around your dominant hand just below the knuckles, excluding your thumb, and make a fist. This is your 'hand width'.


EU Glove size	US Glove size	Inches	CMs
6	XS	6-7	15-17
7	S	7-8	17-20
8	M	8-9	20-22
9	L	9-10	22-25
10	XL	10-11	25-27
11	2XL	11+	28+



2. Find Your Hand Length

Measure from the bottom edge of your palm to the tip of your middle finger to find your 'finger length'.

EU Glove size	US Glove size	Inches	CMs
6	XS	6.5	16.5
7	S	7	18
8	M	7.5	19
9	L	8	20
10	XL	8.5	21.5
11	2XL	9	23



MINIMUM ORDER QUANTITY: 50 (PLEASE CONTACT US TO ORDER)

Visit our website: www.slash-pro.com

T: +44 (0) 845 5193 953 | E: info@slash-pro.com



Product: **SlashPRO® Slash Resistant Gloves - Heracles**

Model #: **300106**



SlashPRO® Gloves (Heracles) are manufactured using Cut-Tex® PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.



For **additional needle protection** please [contact us](#)

Features & Benefits

- Cut-Tex® PRO provides excellent cut resistance to BS EN 388:2016 Level 5
- Kevlar® outer with leather palms - sewn with abrasion, cut and heat resistant Kevlar® thread
- Velcro strap keeps the gloves secure around the wrist
- Soft padded knuckle protection
- Synthetic non-slip palm grip with reinforced palms and fingertips

Who Is This Product Suitable For?

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement

Blade Cut Resistance

EN 388:2016 Level 5

EN 388:2016 Level E (TDM-100 Test)

ISO 13997:1999 Level 5

ANSI/ISEA 2016 Level A5

Tear Resistance

EN 388:2016 Level 4

Abrasion Resistance

EN 388:2016 Level 3

Dimensional Stability Test Achieved excellent results

Sizes S - 2XL


Clothing Care Wipe clean

Colour Black

1. Find Your Hand Width

Wrap a tailor's measuring tape around your dominant hand just below the knuckles, excluding your thumb, and make a fist. This is your 'hand width'.


EU Glove size	US Glove size	Inches	CMs
6	XS	6-7	15-17
7	S	7-8	17-20
8	M	8-9	20-22
9	L	9-10	22-25
10	XL	10-11	25-27
11	2XL	11+	28+



2. Find Your Hand Length

Measure from the bottom edge of your palm to the tip of your middle finger to find your 'finger length'.

EU Glove size	US Glove size	Inches	CMs
6	XS	6.5	16.5
7	S	7	18
8	M	7.5	19
9	L	8	20
10	XL	8.5	21.5
11	2XL	9	23



MINIMUM ORDER QUANTITY: 50 (PLEASE CONTACT US TO ORDER)

Visit our website: www.slash-pro.com

T: +44 (0) 845 5193 953 | E: info@slash-pro.com



Product: **SlashPRO® Slash Resistant Gloves - Titan**

Model #: **300116**



SlashPRO® Gloves (Titan) are manufactured using Cut-Tex® PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.



For **additional needle protection** please [contact us](#)

Features & Benefits

- Cut-Tex® PRO provides excellent cut resistance to BS EN 388:2016 Level 5
- 100% Cow hide leather palm
- Carbon knuckle protection with ventilation on the fingers
- Synthetic non-slip back and palm grip
- Soft padded cuff with Velcro strap to secure around wrist

Who Is This Product Suitable For?

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement

Blade Cut Resistance

EN 388:2016 Level 5

EN 388:2016 Level E (TDM-100 Test)

ISO 13997:1999 Level 5

ANSI/ISEA 2016 Level A5

Tear Resistance

EN 388:2016 Level 4

Abrasion Resistance

EN 388:2016 Level 3

Dimensional Stability Test Achieved excellent results

Sizes S - 2XL


Clothing Care Wipe clean

Colour Black

1. Find Your Hand Width

Wrap a tailor's measuring tape around your dominant hand just below the knuckles, excluding your thumb, and make a fist. This is your 'hand width'.


EU Glove size	US Glove size	Inches	CMs
6	XS	6-7	15-17
7	S	7-8	17-20
8	M	8-9	20-22
9	L	9-10	22-25
10	XL	10-11	25-27
11	2XL	11+	28+



2. Find Your Hand Length

Measure from the bottom edge of your palm to the tip of your middle finger to find your 'finger length'.

EU Glove size	US Glove size	Inches	CMs
6	XS	6.5	16.5
7	S	7	18
8	M	7.5	19
9	L	8	20
10	XL	8.5	21.5
11	2XL	9	23



MINIMUM ORDER QUANTITY: 50 (PLEASE CONTACT US TO ORDER)

Visit our website: www.slash-pro.com

T: +44 (0) 845 5193 953 | E: info@slash-pro.com



Product: **SlashPRO® Slash Resistant Gloves - Classic**

Model #: **300104**



SlashPRO® Gloves (Classic) are manufactured using Cut-Tex® PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.



For **additional needle protection** please [contact us](#)

Features & Benefits

- Cut-Tex® PRO provides excellent cut resistance to BS EN 388:2016 Level 5
- 100% Cow hide leather outer shell
- Elasticised wrist keeps the gloves secure around the wrist

Who Is This Product Suitable For?

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement

Blade Cut Resistance

EN 388:2016	Level 5
EN 388:2016	Level E (TDM-100 Test)
ISO 13997:1999	Level 5
ANSI/ISEA 2016	Level A5

Tear Resistance

EN 388:2016	Level 4
-------------	---------


Abrasion Resistance

EN 388:2016	Level 3
Dimensional Stability Test	Achieved excellent results
Sizes	S - 2XL
Clothing Care	Wipe clean
Colour	Black

1. Find Your Hand Width

Wrap a tailor's measuring tape around your dominant hand just below the knuckles, excluding your thumb, and make a fist. This is your 'hand width'.


EU Glove size	US Glove size	Inches	CMs
6	XS	6-7	15-17
7	S	7-8	17-20
8	M	8-9	20-22
9	L	9-10	22-25
10	XL	10-11	25-27
11	2XL	11+	28+



2. Find Your Hand Length

Measure from the bottom edge of your palm to the tip of your middle finger to find your 'finger length'.

EU Glove size	US Glove size	Inches	CMs
6	XS	6.5	16.5
7	S	7	18
8	M	7.5	19
9	L	8	20
10	XL	8.5	21.5
11	2XL	9	23



MINIMUM ORDER QUANTITY: 50 (PLEASE CONTACT US TO ORDER)

Visit our website: www.slash-pro.com

T: +44 (0) 845 5193 953 | E: info@slash-pro.com



Product: **SlashPRO® Slash and Puncture Resistant Gloves - Nemesis**

Model #: **300111**



SlashPRO® Slash and Puncture Resistant Gloves are made out of our very own ultra-high cut resistant fabric, Cut-Tex® PRO - offering absolutely outstanding, tested and certified levels of cut, puncture, abrasion and tear resistance.



Features & Benefits

- Cut-Tex® PRO provides excellent cut resistance to BS EN 388:2016 Level 5
- Nomex® Fire Resistant Outer
- Puncture Resistance to BS EN 388:2016 Level 4
- Elasticised wrist with extended arm for protection of the Radial artery
- Silicone dotted palm and fingers
- Leather padded knuckle protection

Who Is This Product Suitable For?

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement

Blade Cut Resistance

EN 388:2016	Level 5
EN 388:2016	Level E (TDM-100 Test)
ISO 13997:1999	Level 5
ANSI/ISEA 2016	Level A5

Tear Resistance

EN 388:2016	Level 4
-------------	---------

Puncture Resistance

EN 388:2016	Level 4
-------------	---------

Abrasion Resistance

EN 388:2016	Level 3
-------------	---------

Dimensional Stability Test Achieved excellent results

Sizes S - 2XL


Clothing Care Wipe clean

Colour Black

1. Find Your Hand Width

Wrap a tailor's measuring tape around your dominant hand just below the knuckles, excluding your thumb, and make a fist. This is your 'hand width'.


EU Glove size	US Glove size	Inches	CMs
6	XS	6-7	15-17
7	S	7-8	17-20
8	M	8-9	20-22
9	L	9-10	22-25
10	XL	10-11	25-27
11	2XL	11+	28+



2. Find Your Hand Length

Measure from the bottom edge of your palm to the tip of your middle finger to find your 'finger length'.

EU Glove size	US Glove size	Inches	CMs
6	XS	6.5	16.5
7	S	7	18
8	M	7.5	19
9	L	8	20
10	XL	8.5	21.5
11	2XL	9	23



MINIMUM ORDER QUANTITY: 50 (PLEASE CONTACT US TO ORDER)

Visit our website: www.slash-pro.com

T: +44 (0) 845 5193 953 | E: info@slash-pro.com

Contact

SlashPRO® Slash Resistant Clothing is part of PPSS Group

PPSS Group

Unit 603
Avenue D
Thorpe Arch Estate
Wetherby
LS23 7FS
United Kingdom

T: **+44 (0) 845 5193 953**

E: **info@ppss-group.com**

W: **www.ppss-group.com**



Visit our website: www.slash-pro.com

T: +44 (0) 845 5193 953 | E: info@slash-pro.com