SlashPRO® SLASH RESISTANT CLOTHING CATALOGUE 2020



Contents

- 2. Introduction SlashPRO® Slash Resistant Clothing
- 3. About Cut-Tex[®] PRO

UPPER BODY

- 4. SlashPRO[®] Slash Resistant V-Neck T-Shirt
- 5. SlashPRO® Slash Resistant V-Neck Sweatshirt
- 6. SlashPRO[®] Slash Resistant Turtleneck Jacket
- 7. SlashPRO[®] Slash Resistant UBAC Shirt
- 8. SlashPRO[®] Slash Resistant Hoodie with Kangaroo Front Pocket
- 9. SlashPRO® Slash Resistant Turtleneck Sweatshirt with Thumbholes
- 10. SlashPRO® Slash Resistant Neck Guard
- 11. SlashPRO[®] Slash Resistant Body Armour Base Layer
- 12. SlashPRO® Slash Resistant Balaclava

LOWER BODY

- 13. SlashPRO[®] Slash Resistant Boxer Shorts
- 14. SlashPRO[®] Slash Resistant Long Johns

ARM GUARDS

- 15. SlashPRO[®] Slash Resistant Arm Guards V1
- 16. SlashPRO[®] Slash Resistant Arm Guards V2
- 17. SlashPRO[®] Slash Resistant Arm Guards V3
- 18. Contact



SlashPRO[®] Slash Resistant Clothing

The risk of being slashed with an edged weapon is a harsh reality for those working for homeland security agencies, prisons and correctional facilities and within the private security sector.

Slash related injuries can often lead to rapid blood loss, subsequent shock and ultimately death, this is not to mention any long-term psychological trauma inflicted in case the injured person is surviving such assault.

There is no question about it, the number of assaults on frontline professionals are on the rise – so it pays to protect staff against the very worst-case scenarios. **SlashPRO® Slash Resistant Clothing** effectively helps to reduce the risks of slash related injuries. All garments offer BS EN 388:2016 Blade Cut Resistance Level E or Level 5 (the highest possible) based on the previous EN 388:2003 standard.

Please note, based on extensive research we know that more or less 100% of attackers with a knife will most like aim to stab the other person... however... due to the motions and movements of both parties, the majority of wounds are in fact slashing wounds. There is an unbelievable high number of 'ill reporting' going on. Many professionals incl medical staff conclude and/or report a 'knife wound' as 'stab wound'. This is unfortunately not the case and further education is needed. Ian Horsfall and Mathew Arnold, of the Impact and Armour Group within the Department of Engineering and Applied Science at Cranfield University (Defence Academy of the United Kingdom) wrote a comprehensive piece on 'Protecting From Slash Knife Attacks'. A clear statement in this article reads:

"A retrospective survey of hospital admissions data that contributed to the development of the standard suggested that 63 % of wounds attributable to sharp edged weapons were SLASH events."

I have explained in a lengthy article "The Rise of Global Knife Crime" to the best I could, why more and more criminals carry knives and why more and more terrorists

utilise knives to reach their misguided objectives. You, as a homeland security professional or enforcement agent, accept that anyone carrying a knife represents a real danger, even if he/ she looks like he/she hasn't got a clue what he/she is actually doing.

Robert Kaiser, CEO PPSS Group



SlashPRO® Slash Resistant UBAC Shirt

Why is SlashPRO® Clothing So Important?

- Attacks on police officers, who sustained injury, topped 7,903 in 2015. This was from a total of 23,000 reported to Health and Safety departments within police forces in the UK.
- In the USA, the FBI conducted a survey in 2013 on the number of officers assaulted with knives/blades. These were higher than the amount of attacks using firearms. This number has increased year on year up to the present day.
- Attacks in prisons are on the increase. There were 5,423 assaults on prison staff in the 12 months to the end of March 2016 a rise of 40% on the previous year. This is only likely to increase further over the coming years.
- According to the 2013 Correctional Officer Wellness and Safety Literature Review, correctional officers are involved in the highest amount of non-fatal violent encounters than any other occupation.
- A study by the National Institute of Justice in 2007, discovered there are approximately 2,000 correctional staff member injuries annually due to violence against officers by inmates.

Blashl

- The BBC reported n April 2014 that the number of serious attacks on UK prison officers by inmates increased by 45% in two years.
- A study in the US concluded that, in 2011, for every 10,000 full-time corrections officers, there were 254 workplace assaults and violent injuries 36 times the rate for all American workers. In 2013, 15 workplace fatalities of correctional workers were reported nationwide, in a workforce of nearly 470,000 people.
- On 27th February 2016 the UK based Mirror Newspaper claimed that prisoners have assaulted more than 1,000 prison officers in just two months. These include 95 of the highest category 'serious' assaults on staff, such as being slashed with homemade weapons. The two monthly totals is equivalent to more than 16 prison officers being attacked each day. The figures show that 905 officers were victims of the lesser 'assault' during this period. This represented a surge of 15%.


About Cut-Tex[®] PRO



Cut-Tex[®] PRO is an ultra-high performance cut, bite and slash resistant fabric, comfortable to wear, fully machine washable and of truly exceptional strength and durability - making it the ideal material for SlashPRO[®] Slash Resistant Clothing.

As you can see below, Cut-Tex[®] PRO performs very highly in all cut, tear and abrasion tests:

Cut-Tex® PRO Performance Chart:



SlashPRO®)

Visit our website: www.slash-pro.com



Product: SlashPRO® Slash Resistant T Shirt Model #: 100108

SlashPRO[®] Slash Resistant T-Shirts are manufactured using Cut-Tex[®] PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.

....



Features & Benefits


- Cut-Tex® PRO used on the entire garment providing excellent cut and slash resistance
- 100% Latex free

Who Is This Product Suitable For?

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement

| Material Content | 100% Cut-Tex [®] PRO |
|----------------------------|------------------------------------|
| Blade Cut Resistance | |
| EN 388:2016 | Level 5 |
| EN 388:2016 | Level E (TDM-100 Test) |
| ISO 13997:1999 | Level 5 |
| ANSI/ISEA 2016 | Level A5 |
| Tear Resistance | |
| EN 388:2016 | Level 4 |
| Puncture Resistance | |
| EN 388:2016 | Level 4 |
| Abrasion Resistance | |
| EN 388:2016 | Level 3 |
| Dimensional Stability Test | Achieved excellent results |
| Sizes | S - 3XL |
| Clothing Care | Machine washable up to 40° Celsius |
| Colour | Grey |
| Place of Manufacture | EU |
| | |



| | 0 | | | | | | |
|---|---------------------|----|------|----|------|-----|------|
| | Description | S | Μ | L | XL | 2XL | 3XL |
| Α | Collar | 15 | 16 | 17 | 18 | 19 | 20 |
| В | Chest | 50 | 52 | 54 | 56 | 60 | 64 |
| С | Hem | 51 | 53 | 55 | 57 | 61 | 65 |
| D | Front body | 64 | 66.5 | 69 | 71.5 | 74 | 76.5 |
| E | Shoulder width | 43 | 46 | 49 | 52 | 55 | 58 |
| F | Sleeve overarm | 21 | 22 | 23 | 24 | 25 | 26 |
| G | Arm opening/hole | 20 | 21 | 23 | 24 | 26 | 27 |
| Н | Sleeve cuff opening | 16 | 18 | 20 | 22 | 23 | 24 |

All measurements are taken flat in centimetres. All measurements are approximate and offered as a guideline only.







| Product: | SlashPRO [®] Slash Resistant Sweatshirt (Long Sleeve) |
|----------|---|
| Model #: | 100109 |

SlashPRO[®] Slash Resistant Sweatshirts are manufactured using Cut-Tex[®] PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.



Features & Benefits


- Cut-Tex® PRO used on the entire garment providing excellent cut and slash resistance
- 100% Latex free

Who Is This Product Suitable For?

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement

| Material Content | 100% Cut-Tex® PRO |
|----------------------------|------------------------------------|
| Blade Cut Resistance | |
| EN 388:2016 | Level 5 |
| EN 388:2016 | Level E (TDM-100 Test) |
| ISO 13997:1999 | Level 5 |
| ANSI/ISEA 2016 | Level A5 |
| Tear Resistance | |
| EN 388:2016 | Level 4 |
| Puncture Resistance | |
| EN 388:2016 | Level 4 |
| Abrasion Resistance | |
| EN 388:2016 | Level 3 |
| Dimensional Stability Test | Achieved excellent results |
| Sizes | S - 3XL |
| Clothing Care | Machine washable up to 40° Celsius |
| Colour | Grey |
| Place of Manufacture | EU |



| | Description | S | М | L | XL | 2XL | 3XL |
|---|---------------------|----|------|----|------|-----|------|
| Α | Collar | 15 | 16 | 17 | 18 | 19 | 20 |
| В | Chest | 50 | 52 | 54 | 56 | 60 | 64 |
| С | Hem | 50 | 52 | 54 | 56 | 60 | 64 |
| D | Front body | 64 | 66.5 | 69 | 71.5 | 74 | 76.5 |
| Е | Shoulder width | 43 | 46 | 49 | 52 | 55 | 58 |
| F | Sleeve overarm | 56 | 57 | 58 | 59 | 61 | 62 |
| G | Arm opening/hole | 20 | 21 | 23 | 24 | 26 | 27 |
| Н | Sleeve cuff opening | 10 | 11 | 12 | 13 | 14 | 15 |

All measurements are taken flat in centimetres. All measurements are approximate and offered as a guideline only.

Clothing

Blashf





Product: SlashPRO® Slash Resistant Turtleneck Jacket
Model #: 100117

SlashPRO[®] Slash Resistant Jackets are manufactured using Cut-Tex[®] PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.



Features & Benefits

- Cut-Tex[®] PRO used on the entire garment providing excellent bite resistance
- High neck prevents neck and vertebral arteries from being exposed
- Zipped front makes this garment more user friendly
- 100% Latex free

Who Is This Product Suitable For?


Professionals working within these sectors:

- Mental Health Care
- Special Needs
- Special Education
- Challenging Behaviour
- Learning Disabilities

lash

Autism

| Material Content | 100% Cut-Tex® PRO |
|----------------------------|------------------------------------|
| Blade Cut Resistance | |
| EN 388:2016 | Level 5 |
| EN 388:2016 | Level E (TDM-100 Test) |
| ISO 13997:1999 | Level 5 |
| ANSI/ISEA 2016 | Level A5 |
| Tear Resistance | |
| EN 388:2016 | Level 4 |
| Puncture Resistance | |
| EN 388:2016 | Level 4 |
| Abrasion Resistance | |
| EN 388:2016 | Level 3 |
| Dimensional Stability Test | Achieved excellent results |
| Sizes | S - 5XL |
| Clothing Care | Machine washable up to 40° Celsius |
| Colour | Grey |
| Place of Manufacture | EU |



| | Description | S | Μ | L | XL | 2XL | 3XL | 4XL | 5XL |
|---|-----------------------|------|------|------|------|------|------|------|------|
| А | Collar <mark>C</mark> | 45.5 | 46.5 | 47.5 | 48.5 | 49.5 | 50.5 | 51.5 | 52.5 |
| В | Chest | 53 | 56 | 59 | 62 | 65 | 68 | 71 | 74 |
| С | Hem | 53 | 56 | 59 | 62 | 65 | 68 | 71 | 74 |
| D | Front body length | 69 | 72 | 75 | 78 | 81 | 84 | 87 | 90 |
| Е | Shoulder width | 43 | 46 | 49 | 52 | 55 | 58 | 61 | 64 |
| F | Sleeve overarm | 60 | 62 | 64 | 66 | 67 | 68 | 68 | 69 |
| G | Arm opening/hole | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 |
| Н | Sleeve cuff opening | 10 | 10 | 11 | 11 | 12 | 13 | 14 | 15 |

All measurements are taken flat in centimetres, unless indicated with C. All measurements are approximate and offered as a guideline only. C = C incumference measurement.

Clothing





Product: SlashPRO[®] Slash Resistant UBAC Shirt Model #: 100115

SlashPRO[®] Slash Resistant UBAC Shirts are manufactured using Cut-Tex[®] PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance - providing an effective shield and protects areas often unguarded by common body armour e.g. key arteries from laceration and subsequent rapid blood loss.




Features & Benefits

- Offering comfortable yet effective cut protection to the radial artery, brachial artery, carotid artery and axillary artery whilst wearing body armour. Laceration of either of these arteries can lead to rapid blood loss and potential death.
- Two upper arm pockets (for small notepad and pens) with Velcro for rank patches, blood patches or other attachments
- Machine washable
- Thumb loops to keep sleeves in place
- 100% Latex free

Who Is This Product Suitable For?

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement



All measurments are taken flat in centimetres, unless indicated with C. All measurements are approximate and offered as a guideline only. C = Circumference measurement. \dagger = Length from neck point to hem.



Material Content

| Blade Cut Resistance | |
|----------------------------|------------------------------------|
| EN 388:2016 | Level 5 |
| EN 388:2016 | Level E (TDM-100 Test) |
| ISO 13997:1999 | Level 5 |
| ANSI/ISEA 2016 | Level A5 |
| Tear Resistance | |
| EN 388:2016 | Level 4 |
| Puncture Resistance | |
| EN 388:2016 | Level 4 |
| Abrasion Resistance | |
| EN 388:2016 | Level 3 |
| Dimensional Stability Test | Achieved excellent results |
| Sizes | S - 3XL |
| Clothing Care | Machine washable up to 40° Celsius |
| Colour | Grey |
| Place of Manufacture | EU |
| | |

100% Cut-Tex® PRO + 100% Polyester

| | Description | S | М | L | XL | 2XL | 3XL |
|---|---------------------------|------|----|------|----|------|-----|
| A | Collar <mark>C</mark> | 44.5 | 45 | 45.5 | 46 | 46.5 | 47 |
| В | Chest | 51 | 54 | 57 | 60 | 63 | 66 |
| С | Hem | 51 | 54 | 57 | 60 | 63 | 66 |
| D | Front Body <mark>†</mark> | 69 | 72 | 75 | 78 | 81 | 84 |
| E | Shoulder Width | 43 | 46 | 49 | 52 | 55 | 58 |
| F | Sleeve Overarm | 61 | 62 | 63 | 64 | 65 | 66 |
| G | Arm Opening/Hole | 20 | 21 | 22 | 23 | 24 | 25 |
| Н | Under Arm Length | 46.5 | 48 | 49.5 | 51 | 52.5 | 54 |
| I | Sleeve Cuff Opening | 11 | 12 | 13 | 14 | 15 | 16 |





Product: SlashPRO® Slash Resistant Hoodie with Kangaroo Front Pocket Model #: 100102

SlashPRO® Slash Resistant Hoodies are manufactured using Cut-Tex® PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.



Features & Benefits


- Cut-Tex® PRO used on the entire garment providing excellent cut and slash resistance
- 100% Latex free

Who Is This Product Suitable For?

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement

| Material Content | 100% Cut-Tex® PRO + 100% Polyester |
|----------------------------|------------------------------------|
| Blade Cut Resistance | |
| EN 388:2016 | Level 5 |
| EN 388:2016 | Level E (TDM-100 Test) |
| ISO 13997:1999 | Level 5 |
| ANSI/ISEA 2016 | Level A5 |
| Tear Resistance | |
| EN 388:2016 | Level 4 |
| Puncture Resistance | |
| EN 388:2016 | Level 4 |
| Abrasion Resistance | |
| EN 388:2016 | Level 3 |
| Dimensional Stability Test | Achieved excellent results |
| Sizes | S - 3XL |
| Clothing Care | Machine washable up to 40° Celsius |
| Colour | Grey |
| Place of Manufacture | EU |



| | Description | S | М | L | XL | 2XL | 3XL |
|---|---------------------|-----|------|-----|------|------|------|
| А | Collar | 15 | 16 | 17 | 18 | 19 | 20 |
| В | Chest | 50 | 52 | 54 | 56 | 60 | 64 |
| С | Hem | 51 | 53 | 55 | 57 | 61 | 65 |
| D | Front body | 64 | 66.5 | 69 | 71.5 | 74 | 76.5 |
| E | Shoulder width | 43 | 46 | 49 | 52 | 55 | 58 |
| F | Sleeve overarm | 61 | 62 | 63 | 64 | 65 | 66 |
| G | Arm opening/hole | 20 | 21 | 23 | 24 | 26 | 27 |
| Н | Sleeve cuff opening | 8.5 | 9 | 9.5 | 10 | 10.5 | 11 |

All measurements are taken flat in centimetres. All measurements are approximate and offered as a guideline only.







Product: SlashPRO® Slash Resistant Turtleneck Sweatshirt with Thumbholes Model #: 100107

SlashPRO® Slash Resistant Sweatshirts are manufactured using Cut-Tex[®] PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.

Material Content

EN 388:2016

EN 388:2016

ISO 13997:1999

ANSI/ISEA 2016

Tear Resistance

Puncture Resistance

Abrasion Resistance

Dimensional Stability Test

EN 388:2016

EN 388:2016

EN 388:2016

Clothing Care

Place of Manufacture

Sizes

Colour

Blade Cut Resistance



100% Cut-Tex® PRO + 100% Polyester

Level 5

Level 5

Level A5

Level 4

Level 4

Level 3

S - 3XL

Grey

EU

Level E (TDM-100 Test)

Achieved excellent results

Machine washable up to 40° Celsius


Features & Benefits

- Cut-Tex® PRO used on the entire garment providing excellent cut and slash resistance
- High neck prevents neck and vertebral arteries from being exposed
- Thumbhole sleeves prevent the wrist and radial artery from being exposed
- 100% Latex free

Who Is This Product Suitable For?

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement



| | Description | S | M | L | XL | 2XL | 3XL |
|---|---------------------|----|------|----|------|-----|------|
| A | Collar | 18 | 19 | 20 | 21 | 22 | 23 |
| В | Chest | 50 | 52 | 54 | 56 | 60 | 64 |
| С | Hem | 50 | 52 | 54 | 56 | 60 | 64 |
| D | Front body length | 64 | 66.5 | 69 | 71.5 | 74 | 76.5 |
| E | Shoulder width | 43 | 46 | 49 | 52 | 55 | 58 |
| F | Sleeve overarm | 62 | 62 | 64 | 64 | 66 | 68 |
| G | Arm opening/hole | 20 | 21 | 23 | 24 | 26 | 28 |
| Н | Sleeve cuff opening | 10 | 11 | 12 | 13 | 14 | 15 |
| 1 | Thumbhole | 5 | 5 | 5 | 5 | 5.5 | 5.5 |

Cut-Tex® PR

All measurements are taken flat in centimetres. All measurements are approximate and offered as a guideline only.



Visit our website: www.slash-pro.com



Product: SlashPRO[®] Slash Resistant Neck Guard Model #: 100110

SlashPRO[®] Slash Resistant Neck Guards are manufactured using Cut-Tex[®] PRO which acts as an effective shield and protects areas often unguarded by common body armour.



Material Content

Blade Cut Resistance



Features & Benefits

- Offering comfortable yet effective cut protection to the carotid artery, an area even exposed whilst wearing any type of body armour. Laceration of this artery can lead to rapid blood loss and potential death.
- Wrapped in black polyester
- Folding down collar
- Machine washable
- 100% Latex free

Who Is This Product Suitable For?

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement

Find Your Size


Please use this chart as a guide. Measure the circumference of your head just above the brow line.

| Size | Head circumference |
|------|-----------------------|
| s | 50-52cm |
| М | 53-55cm |
| L | 56-58cm |
| XL | 59-61cm |
| XXL | 62-64cm |

| EN 388:2016 | Level 5 |
|----------------------------|------------------------------------|
| EN 388:2016 | Level E (TDM-100 Test) |
| ISO 13997:1999 | Level 5 |
| ANSI/ISEA 2016 | Level A5 |
| Tear Resistance | |
| EN 388:2016 | Level 4 |
| Puncture Resistance | |
| EN 388:2016 | Level 4 |
| Abrasion Resistance | |
| EN 388:2016 | Level 3 |
| Dimensional Stability Test | Achieved excellent results |
| Sizes | S - 2XL |
| Clothing Care | Machine washable up to 40° Celsius |
| Colour | Black |
| Place of Manufacture | EU |

100% Cut-Tex® PRO + 100% Polyester

| Size | A: Neck side point to point | B: Centre front length | C: Shoulder width |
|------|-----------------------------|---------------------------|--------------------------|
| S | 23cm | 18cm | 38cm |
| М | 24cm | 19cm | 39cm |
| L | 25cm | 20cm | 40cm |
| XL | 26cm | 21cm | 41cm |
| XXL | 27cm | 22cm | 42cm |



All measurments are taken flat in centimetres. All measurements are approximate and offered as a guideline only.

*Length from neck point to hem. **Fully open.



Visit our website: www.slash-pro.com



| Product: | SlashPRO [®] Slash Resistant Body Armour Base Layer |
|----------|---|
| Model #: | 100112 |

SlashPRO[®] Slash Resistant Body Armour Base Layers are manufactured using Cut-Tex[®] PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.



Features & Benefits

- Cut-Tex[®] PRO used under the arm and the unprotected sides of the upper body providing excellent cut and slash resistance
- 100% Latex free

Who Is This Product Suitable For?

Professionals working within these sectors:


- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement

last

| ntent |
|-------|
| |

| Blade Cut Resistance | |
|----------------------------|------------------------------------|
| EN 388:2016 | Level 5 |
| EN 388:2016 | Level E (TDM-100 Test) |
| ISO 13997:1999 | Level 5 |
| ANSI/ISEA 2016 | Level A5 |
| Tear Resistance | |
| EN 388:2016 | Level 4 |
| Puncture Resistance | |
| EN 388:2016 | Level 4 |
| Abrasion Resistance | |
| EN 388:2016 | Level 3 |
| Dimensional Stability Test | Achieved excellent results |
| Sizes | S - 3XL |
| Clothing Care | Machine washable up to 40° Celsius |
| Colour | Grey |
| Place of Manufacture | EU |

100% Cut-Tex® PRO + 100% Polyester



| | Description | S | Μ | L | XL | 2XL | 3XL |
|---|-----------------------|------|----|------|----|------|-----|
| А | Collar <mark>C</mark> | 42.5 | 43 | 43.5 | 44 | 44.5 | 45 |
| В | Chest | 51 | 54 | 57 | 60 | 63 | 66 |
| С | Hem | 51 | 54 | 57 | 60 | 63 | 66 |
| D | Front body length | 69 | 72 | 75 | 78 | 81 | 84 |
| Е | Shoulder width | 43 | 46 | 49 | 52 | 55 | 58 |
| F | Sleeve overarm | 57 | 58 | 59 | 60 | 61 | 62 |
| G | Arm opening/hole | 20 | 21 | 22 | 23 | 24 | 25 |
| Н | Sleeve cuff opening | 11 | 12 | 13 | 14 | 15 | 16 |

All measurments are taken flat in centimetres, unless indicated with C. All measurements are approximate and offered as a guideline only. C = C incumference measurement.

lothing



Visit our website: www.slash-pro.com



Product: SlashPRO[®] Slash Resistant Balaclava Model #: 100121

SlashPRO[®] Slash Resistant Balaclavas are manufactured using Cut-Tex[®] PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.




Features & Benefits

- Cut-Tex[®] PRO used on the entire garment providing excellent cut and slash resistance
- Ideal for forced entry operations and riot teams
- Effectively protecting Carotid Artery
- 100% Latex free

Who Is This Product Suitable For?

- Professionals working within these sectors:
- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement



Material Content

| | , |
|----------------------------|------------------------------------|
| Blade Cut Resistance | |
| EN 388:2016 | Level 5 |
| EN 388:2016 | Level E (TDM-100 Test) |
| ISO 13997:1999 | Level 5 |
| ANSI/ISEA 2016 | Level A5 |
| Tear Resistance | |
| EN 388:2016 | Level 4 |
| Puncture Resistance | |
| EN 388:2016 | Level 4 |
| Abrasion Resistance | |
| EN 388:2016 | Level 3 |
| Dimensional Stability Test | Achieved excellent results |
| Sizes | S - 2XL |
| Clothing Care | Machine washable up to 40° Celsius |
| Colour | Grey |
| Place of Manufacture | EU |
| | |

100% Cut-Tex® PRO + 100% Polyester








Visit our website: www.slash-pro.com



Product: SlashPRO® Slash Resistant Boxer Shorts Model #: 200150

SlashPRO[®] Slash Resistant Boxer Shorts are manufactured using Cut-Tex[®] PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.



Features & Benefits


- Excellent cut and slash protection
- 100% Latex free

Who Is This Product Suitable For?

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement

| 100% Cut-Tex [®] PRO + 100% Polyester | | |
|--|--|--|
| | | |
| Level 5 | | |
| Level E (TDM-100 Test) | | |
| Level 5 | | |
| Level A5 | | |
| | | |
| Level 4 | | |
| | | |
| Level 4 | | |
| | | |
| Level 3 | | |
| Achieved excellent results | | |
| S - 3XL | | |
| Machine washable up to 40° Celsius | | |
| Grey | | |
| EU | | |
| | | |



| All measurements are taken flat in centimetres. |
|---|
| All measurements are approximate and offered as a guideline only. |
| |

+Including waistband.



| | Description | S | М | L | XL | 2XL | 3XL |
|---|------------------------|----|----|----|----|-----|-----|
| A | Waist (relaxed) | 30 | 34 | 38 | 42 | 46 | 50 |
| В | Waist (stretched) | 45 | 49 | 53 | 57 | 61 | 65 |
| С | Hip - 17cm below waist | 46 | 49 | 52 | 55 | 58 | 61 |
| D | Side leg length† | 42 | 43 | 44 | 45 | 46 | 47 |
| E | Inside leg | 20 | 20 | 20 | 20 | 20 | 20 |
| F | Leg opening | 29 | 30 | 31 | 32 | 33 | 34 |
| G | Front rise† | 28 | 29 | 30 | 31 | 32 | 33 |
| Н | Back rise† | 30 | 31 | 32 | 33 | 34 | 35 |
| Ι | Waist band depth | 4 | 4 | 4 | 4 | 4 | 4 |
| | | | | | | | |

Cut-Tex® PRO





Product: SlashPRO® Slash Resistant Long Johns Model #: 200102

SlashPRO® Slash Resistant Long Johns are manufactured using Cut-Tex® PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.


Features & Benefits

- Excellent cut and slash protection for the lower part of the body
- Slim fit
- Adjustable cord •
- 100% Latex free

Who Is This Product Suitable For?

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement



All measurements are taken flat in centimetres. All measurements are approximate and offered as a guideline only. †Including waistband.



| Material Content | 100% Cut-Tex® PRO + 100% Polyester | | |
|----------------------------|------------------------------------|--|--|
| Blade Cut Resistance | | | |
| EN 388:2016 | Level 5 | | |
| EN 388:2016 | Level E (TDM-100 Test) | | |
| ISO 13997:1999 | Level 5 | | |
| ANSI/ISEA 2016 | Level A5 | | |
| Tear Resistance | | | |
| EN 388:2016 | Level 4 | | |
| Puncture Resistance | | | |
| EN 388:2016 | Level 4 | | |
| Abrasion Resistance | | | |
| EN 388:2016 | Level 3 | | |
| Dimensional Stability Test | Achieved excellent results | | |
| Sizes | S - 3XL | | |
| Clothing Care | Machine washable up to 40° Celsius | | |
| Colour | Grey | | |
| Place of Manufacture | EU | | |

| | Description | S | М | L | XL | 2XL | 3XL |
|---|------------------------|------|------|------|------|------|------|
| A | Waist (relaxed) | 30 | 34 | 38 | 42 | 46 | 50 |
| В | Waist (stretched) | 45 | 49 | 53 | 57 | 61 | 65 |
| С | Hip - 17cm below waist | 46 | 49 | 52 | 55 | 58 | 61 |
| D | Outside leg length† | 99 | 100 | 101 | 102 | 103 | 104 |
| E | Inside leg | 76.5 | 77 | 77.5 | 78 | 78.5 | 79 |
| F | Calf width | 22 | 22.5 | 23 | 23.5 | 24 | 24.5 |
| G | Ankle width | 14 | 14 | 16 | 16 | 18 | 18 |
| Н | Front rise† | 28 | 29 | 30 | 31 | 32 | 33 |
| 1 | Back rise† | 30 | 31 | 32 | 33 | 34 | 35 |
| J | Waist band depth | 4 | 4 | 4 | 4 | 4 | 4 |







SlashPRO[®] Slash Resistant Product: Arm Guards V1 Model #: 100500

SlashPRO® Arm Guards (Version 1) are manufactured using Cut-Tex® PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.

Blade Cut Resistance

Level 5

Level 5

Level A5

Level 4

Level 4

Level 3

S-XL

Black

EU

Level E (TDM-100 Test)

Achieved excellent results

Machine washable up to 40° Celsius

Cat II PPE Directive

EN 388:2016

EN 388:2016

ISO 13997:1999

ANSI/ISEA 2016

Tear Resistance

Puncture Resistance

Abrasion Resistance

Dimensional Stability Test

EN 388:2016

EN 388:2016

EN 388:2016


CE Marking

Clothing Care

Place of Manufacture

Sizes

Colour




Features & Benefits

- Sold in pairs
- Overtly worn
- Excellent cut and slash resistance
- Thumbhole for improved fit
- Quick and easy to put on
- Highly breathable inner lining
- Durable and water repellent outer material
- 100% Latex free
- Also available as model with additional ٠ outstanding protection from severe bruising and blunt forced trauma - Model 100503

Who Is This Product Suitable For?

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration •
- Customs
- Border Control
- Private Security & Military Contractors
- **Civil Enforcement**



| | Description | S | Μ | L | XL |
|---|--------------------------------|----|----|----|----|
| Α | Cuff width | 10 | 11 | 12 | 13 |
| В | Sleeve length | 23 | 26 | 29 | 29 |
| С | Elasticated arm cuff (relaxed) | 11 | 13 | 15 | 17 |
| D | Arm width* | 13 | 15 | 17 | 19 |

All measurements are taken flat in centimetres. All measurements are approximate and offered as a guideline only. *Measured 14cm down from the elasticated cuff.





Product: SlashPRO[®] Slash Resistant Arm Guards V2 Model #: 100501

SlashPRO® Arm Guards (Version 2) are manufactured using Cut-Tex® PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.



Features & Benefits

- Sold in pairs
- Excellent cut and slash resistance
- Worn tight around the forearm
- 100% Latex free


Who Is This Product Suitable For?

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration ٠
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement

Blade Cut Resistance

| EN 388:2016 | Level 5 |
|--------------------------------------|--|
| EN 388:2016 | Level E (TDM-100 Test) |
| ISO 13997:1999 | Level 5 |
| ANSI/ISEA 2016 | Level A5 |
| Tear Resistance | |
| EN 388:2016 | Level 4 |
| Puncture Resistance | |
| EN 388:2016 | Level 4 |
| Abrasion Resistance | |
| EN 388:2016 | Level 3 |
| | |
| Dimensional Stability Test | Achieved excellent results |
| Dimensional Stability Test | Achieved excellent results Cat II PPE Directive |
| | |
| CE Marking | Cat II PPE Directive |
| CE Marking Sizes | Cat II PPE Directive S - XL |
| CE Marking Sizes Clothing Care | Cat II PPE Directive S - XL Machine washable up to 40° Celsius |



| | Description | S | М | L | XL |
|---|---------------|----|----|----|----|
| А | Cuff width | 9 | 10 | 11 | 12 |
| В | Sleeve length | 22 | 24 | 25 | 26 |
| С | Arm width | 11 | 12 | 13 | 14 |

All measurements are taken flat in centimetres. All measurements are approximate and offered as a guideline only.





Product: SlashPRO[®] Slash Resistant Arm Guards V3 Model #: 100504

SlashPRO[®] Arm Guards (Version 3) are manufactured using Cut-Tex[®] PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion and tear resistance.



Features & Benefits

- Sold in pairs
- Excellent cut and slash resistance
- Worn tight around the forearm
- Also offering bite protection on inside and back of hand
- Thumbhole for improved fit
- 100% Latex free

Who Is This Product Suitable For?

Professionals working within these sectors:

- Law Enforcement
- Military
- Corrections / Prison Service
- Immigration
- Customs
- Border Control
- Private Security & Military Contractors
- Civil Enforcement

B

| Didue out mesistance | |
|----------------------------|------------------------------------|
| EN 388:2016 | Level 5 |
| EN 388:2016 | Level E (TDM-100 Test) |
| ISO 13997:1999 | Level 5 |
| ANSI/ISEA 2016 | Level A5 |
| Tear Resistance | |
| EN 388:2016 | Level 4 |
| Puncture Resistance | |
| EN 388:2016 | Level 4 |
| Abrasion Resistance | |
| EN 388:2016 | Level 3 |
| Dimensional Stability Test | Achieved excellent results |
| CE Marking | Cat II PPE Directive |
| Sizes | S - XL |
| Clothing Care | Machine washable up to 40° Celsius |
| Colour | Grey |
| Place of Manufacture | EU |
| | |

| | Description | S | М | L | XL |
|---|-------------------|----|----|----|----|
| А | Cuff width | 9 | 10 | 11 | 12 |
| В | Sleeve length | 30 | 32 | 33 | 34 |
| С | Arm width | 11 | 12 | 13 | 14 |
| D | Thumbhole opening | 6 | 6 | 6 | 6 |

All measurements are taken flat in centimetres. All measurements are approximate and offered as a guideline only.



Contact

SlashPRO® Slash Resistant Clothing is part of PPSS Group

PPSS Group

Unit 603 Avenue D Thorp Arch Estate Wetherby LS23 7FS United Kingdom

T: +44 (0) 845 5193 953

E: info@ppss-group.com

 $\mathsf{W}: \textbf{www.ppss-group.com}$

