



# CUT RESISTANCE









# Contents

- 2. Cut Resistant Clothing
- 3. About Cut-Tex<sup>®</sup> PRO

## JACKETS

- 4. 100200 Turtleneck Zipped Jacket with Tape and Breathable Back
- 5. 800530 Turtleneck Zipped Jacket with Tape and Breathable Underarms

## SHIRTS

- 6. 100210 Collared Top with Breathable Back
- 7. 100218 Crew Neck Top with Breathable Back
- 8. 100201 Crew Neck Top with Half Armguard and Belly Patch
- 9. 100202 Crew Neck Top with Half Armguard
- 10. 100212 Crew Neck Top with Full Armguard
- 11. 100217 Crew Neck Top with Full Armguard and Belly Patch
- 12. 100221 Turtleneck Top with Rear Half Zip and Breathable Back
- 13. 100222 Turtleneck Top with Rear Half Zip

## TROUSERS

- 14. 100206 Trousers with Front Protection100216 Trousers with Front and Back
- 15. Protection

## **APRONS**

- 16. 100213 Full Length Apron
- 17. 100214 Half Apron
- 18. 100215 Split Apron

## LAB COATS

19. 100207 Lab Coat

## INFORMATION

- 20. Size Guide
- 21. Important information
- 22. Contact



Visit our website: www.cut-pro.com

# Introducing CutPRO®

CutPRO<sup>®</sup> is high performance, cut resistant work wear, designed to offer reliable, ultra-durable and thoroughly field-tested protection to professionals at risk of cut-injuries in the workplace.

Made from specialist fabric Cut-Tex<sup>®</sup> PRO, all garments offer outstanding levels of cut, tear, abrasion and puncture resistance, while being durable, lightweight and comfortable.

Used across the CutPRO<sup>®</sup> range, this highly acclaimed fabric provides the best possible defence against cuts and lacerations and withstands frequent laundering.

CutPRO® garments are fully CE certified and recognised by the BSIF, with a 6 month workmanship guarantee.

## **More information**

- Cuts and lacerations can cause rapid blood loss, infection, permanent damage to soft tissues, and even death.
- These incidents cost firms time and money, they highlight a serious failure in employers' duty of care; possibly leading to reputation loss and criminal prosecution.
- Cheaper alternatives are likely to offer inferior protection, costing customers more in replacements while compromising safety.

# **CutPRO® Certifications and Associations**

protection.

We are proudly CE, UKCA, and ISO9001:2015 certified with UKAS accreditation. This means you can rest assured that our garments meet the standards necessary to ensure the safety of your team



As our garments carry the UKCA mark, they conform to UK standards of PPE.

As our garments are fully CE certified, they can be resold in the European Union as Personal Protective Equipment (PPE) which meets EU standards for health, safety, and environmental

The British Safety Industry Federation (BSIF) is the trade association for the Personal Protective Equipment (PPE) Regulation and has Primary Authority status with Trading Standards. As a BSIF Registered Safety Supplier, our products and services are certified to meet the appropriate EU standard.



Visit our website: www.cut-pro.com


# **About Cut-Tex® PRO**



Cut-Tex<sup>®</sup> PRO is an ultra-high performance cut and slash resistant fabric, comfortable to wear, fully machine washable and of truly exceptional strength and durability - making it the ideal material for CutPRO<sup>®</sup> Cut Resistant Clothing.

As you can see below, Cut-Tex<sup>®</sup> PRO performs very highly in all cut, abrasion, tear and puncture tests:

# **Cut-Tex® PRO Performance Chart:**





Visit our website: www.cut-pro.com



#### Product: CutPRO® Turtleneck Zipped Jacket with Tape and Breathable Back

Model #: 100200

CutPRO® Cut Resistant Jackets are manufactured using Cut-Tex® PRO, offering outstanding tested and certified levels of cut, abrasion, tear and puncture resistance.





#### Features and Benefits

- Cut-Tex® PRO is used to provide excellent cut resistance
- · Full front, arms, neck and shoulder protection
- Breathable polyester back
- Thumb holes •
- Bright yellow tape
- Full front zip
- 100% latex free

#### Bespoke features available - please contact us for further details

\*Minimum order quantities apply Logo embroidery


• Logo embroidery

#### Suitable for professionals working in the following industries:

- Glass and glazing
- ٠ Metal
- Ceramics
- Industrial manufacturing
- Recycling

Non-protected areas

| Material Content            | Cut-Tex® PRO, Polyester   |
|-----------------------------|---|
|                             |   |
| Cut Resistance              | EN 38   |
| EN ISO 13997 (TDM-100 Test) |   |
| ANSI/ISEA 105-2016          | Level A5  |
| Abrasion Resistance         | 3X44  |
| EN 388:2016                 | Level 3   |
| Tear Resistance             | LF  |
| EN 388:2016                 | Level 4   |
| Puncture Resistance         |   |
| EN 388:2016                 | Level 4   |
| Sizes                       | S - 5XL (See sizing guide on page 22)   |
| Colour                      | Cut-Tex® PRO - Grey Marl  |
|                             | Polyester - Black   |
|                             | Other colour options available in non-Cut-Tex® PRO<br>materials subject to minimum order volumes. Please conta<br>us for more information |
| Place of Manufacture        | UK - CE PPE Regulation (EU) 2016/425  |



CutPRO® branded products are unavailable in Canada, please contact us for other available branding options. UKCA module B 0338 Approved Body: BTTG, Unit 6 Wheel Forge Way, Trafford Park, Manchester, M17 1EH, United Kingdom. The Declaration of Conformity may be found on our website at:https://cutt.ly/cut-pro-doc



## Visit our website: www.cut-pro.com



#### Product: CutPRO® Turtleneck Zipped Jacket with Tape and Breathable Underarms

#### Model #: 800530

CutPRO® Cut Resistant Jackets are manufactured using Cut-Tex<sup>®</sup> PRO, offering outstanding tested and certified levels of cut, abrasion, tear and puncture resistance.

### **MOQs APPLY FOR** THIS PRODUCT





#### Features and Benefits

- Cut-Tex® PRO is used to provide excellent cut resistance
- Full front, arms, neck and back protection
- Breathable underarms
- Thumb holes
- Bright yellow tape
- Full front zip
- 100% latex free

#### Bespoke features available - please contact us for further details

\*Minimum order quantities apply Logo embroidery

Logo embroidery


#### Suitable for professionals working in the following industries:

- · Glass and glazing
- Metal

areas

- Ceramics
- Industrial manufacturing ٠
- Recycling

| Material Content            | Cut-Tex® PRO, Polyester   | (6        |
|-----------------------------|---|-----------|
| Cut Resistance              |   | CC        |
| EN ISO 13997 (TDM-100 Test) | Level E   | EN 388    |
| ANSI/ISEA 105-2016          | Level A5  | Y         |
| Abrasion Resistance         |   | 3X44E     |
| EN 388:2016                 | Level 3   | <u>UK</u> |
| Tear Resistance             |   | СН        |
| EN 388:2016                 | Level 4   |           |
| Puncture Resistance         |   |           |
| EN 388:2016                 | Level 4   |           |
| Sizes                       | S - 5XL (See sizing guide on page 22)   |           |
| Colour                      | Cut-Tex <sup>®</sup> PRO - Grey Marl<br>Polyester - Black   |           |
|                             | Other colour options available in non-Cut-Tex® PRO materials subject to minimum order volumes. Please us for more information |           |
| Place of Manufacture        | UK - CE PPE Regulation (EU) 2016/425  |           |



CutPRO® branded products are unavailable in Canada, please contact us for other available branding options. UKCA module B 0338 Approved Body: BTTG, Unit 6 Wheel Forge Way, Trafford Park, Manchester, M17 1EH, United Kingdom. The Declaration of Conformity may be found on our website at: https://cutt.ly/cut-pro-doc



## Visit our website: www.cut-pro.com



## Product: CutPRO<sup>®</sup> Collared Top with Breathable Back Model #: 100210

CutPRO<sup>®</sup> Cut Resistant Tops are manufactured using Cut-Tex<sup>®</sup> PRO, offering outstanding tested and certified levels of cut, abrasion, tear and puncture resistance.





#### Features and Benefits

- Cut-Tex<sup>®</sup> PRO is used to provide excellent cut resistance
- Full front, neck and arm protection
- Breathable polyester back
- Thumb holes
- 8" length zip
- Shoulder and elbow patches
- 100% latex free

## Bespoke features available – please contact us for further details


\*Minimum order quantities apply Logo embroidery

• Logo embroidery

# Suitable for professionals working in the following industries:

- Glass and glazing
- Metal
- Ceramics
- Industrial manufacturing
- Recycling

| Material Content            | Cut-Tex® PRO, Polyester, Cotton  | ((     |
|-----------------------------|--|--------|
| Cut Resistance              |  | CE     |
| EN ISO 13997 (TDM-100 Test) | Level E  | EN 388 |
| ANSI/ISEA 105-2016          | Level A5   |        |
| Abrasion Resistance         |  | 3X44E  |
| EN 388:2016                 | Level 3  | ŬΚ     |
| Tear Resistance             |  | СH     |
| EN 388:2016                 | Level 4  |        |
| Puncture Resistance         |  |        |
| EN 388:2016                 | Level 4  |        |
| Sizes                       | S - 5XL (See sizing guide on page 22)  |        |
| Colour                      | Cut-Tex <sup>®</sup> PRO - Grey Marl<br>Piping - Orange<br>Polycotton - Grey   |        |
|                             | Other colour options available in non-Cut-Tex® PRC<br>materials subject to minimum order volumes. Pleas<br>us for more information |        |
| Place of Manufacture        | UK - CE PPE Regulation (EU) 2016/425   |        |



CutPRO® branded products are unavailable in Canada, please contact us for other available branding options. UKCA module B 0338 Approved Body: BTTG, Unit 6 Wheel Forge Way, Trafford Park, Manchester, M17 1EH, United Kingdom. The Declaration of Conformity may be found on our website at: https://cutt.ly/cut-pro-doc



### Visit our website: www.cut-pro.com



## Product: CutPRO<sup>®</sup> Crew Neck Top with Breathable Back Model #: 100218

CutPRO<sup>®</sup> Cut Resistant Tops are manufactured using Cut-Tex<sup>®</sup> PRO, offering outstanding tested and certified levels of cut, abrasion, tear and puncture resistance.





#### Features and Benefits

- Cut-Tex<sup>®</sup> PRO is used to provide excellent cut resistance
- Full front, arms and shoulder protection
- Breathable polyester back and underarms
- Thumb holes
- Crew neck
- 100% latex free

## Bespoke features available – please contact us for further details

\*Minimum order quantities apply Logo embroidery

• Logo embroidery

# Suitable for professionals working in the following industries:

- Glass and glazing
- Metal
- Ceramics
- Industrial manufacturing
- Recycling

| Material Content            | Cut-Tex® PRO, Polyester   | "        |
|-----------------------------|---|----------|
| Cut Resistance              |   | CC       |
| EN ISO 13997 (TDM-100 Test) | Level E   | EN 388   |
| ANSI/ISEA 105-2016          | Level A5  | Y        |
| Abrasion Resistance         |   | 3X44E    |
| EN 388:2016                 | Level 3   | UK<br>CA |
| Tear Resistance             |   |          |
| EN 388:2016                 | Level 4   |          |
| Puncture Resistance         |   |          |
| EN 388:2016                 | Level 4   |          |
| Sizes                       | S - 5XL (See sizing guide on page 22)   |          |
| Colour                      | Cut-Tex <sup>®</sup> PRO - Grey Marl<br>Polyester - Orange  |          |
|                             | Other colour options available in non-Cut-Tex® PRO materials subject to minimum order volumes. Please us for more information |          |
| Place of Manufacture        | UK - CE PPE Regulation (EU) 2016/425  |          |



## areas

CutPRO® branded products are unavailable in Canada, please contact us for other available branding options. UKCA module B 0338 Approved Body: BTTG, Unit 6 Wheel Forge Way, Trafford Park, Manchester, M17 1EH, United Kingdom. The Declaration of Conformity may be found on our website at: https://cutt.ly/cut-pro-doc



## Visit our website: www.cut-pro.com



#### Product: CutPRO® Crew Neck Top with Half Armguard and **Belly Patch**

Model #: 100201

CutPRO® Cut Resistant Tops are manufactured using Cut-Tex® PRO, offering outstanding tested and certified levels of cut, abrasion, tear and puncture resistance.

## **MOQs APPLY FOR** THIS PRODUCT





#### Features and Benefits

- Cut-Tex® PRO is used to provide excellent cut resistance
- Abdominal and forearm protection
- Breathable polyester chest, shoulders and back
- Thumb holes
- Crew neck
- 100% latex free ٠

#### Bespoke features available - please contact us for further details


\*Minimum order quantities apply Logo embroidery

Logo embroidery

#### Suitable for professionals working in the following industries:

- · Glass and glazing
- Metal
- Ceramics
- · Industrial manufacturing
- Recycling

| Material Content            | Cut-Tex® PRO, Polyester   | (F     |
|-----------------------------|---|--------|
| Cut Resistance              |   |        |
| EN ISO 13997 (TDM-100 Test) | Level E   | EN 388 |
| ANSI/ISEA 105-2016          | Level A5  |        |
| Abrasion Resistance         |   | 3X44E  |
| EN 388:2016                 | Level 3   | UK     |
| Tear Resistance             |   | CH     |
| EN 388:2016                 | Level 4   |        |
| Puncture Resistance         |   |        |
| EN 388:2016                 | Level 4   |        |
| Sizes                       | S - 5XL (See sizing guide on page 22)   |        |
| Colour                      | Cut-Tex <sup>®</sup> PRO - Grey Marl<br>Polyester - Orange  |        |
|                             | Other colour options available in non-Cut-Tex <sup>®</sup> PRC materials subject to minimum order volumes. Please us for more information |        |
| Place of Manufacture        | UK - CE PPE Regulation (EU) 2016/425  |        |



#### Non-protected areas

CutPRO® branded products are unavailable in Canada, please contact us for other available branding options. UKCA module B 0338 Approved Body: BTTG, Unit 6 Wheel Forge Way, Trafford Park, Manchester, M17 1EH, United Kingdom. The Declaration of Conformity may be found on our website at: https://cutt.ly/cut-pro-doc



## Visit our website: www.cut-pro.com



## Product: CutPRO<sup>®</sup> Crew Neck Top with Half Armguard Model #: 100202

CutPRO<sup>®</sup> Cut Resistant Tops are manufactured using Cut-Tex<sup>®</sup> PRO, offering outstanding tested and certified levels of cut, abrasion, tear and puncture resistance.

## MOQs APPLY FOR THIS PRODUCT



Material Content



#### Features and Benefits

- Cut-Tex<sup>®</sup> PRO is used to provide excellent cut resistance
- Forearm protection
- Breathable polyester front, shoulders and back
- Thumb holes
- Crew neck
- 100% latex free

# Bespoke features available – please contact us for further details

\*Minimum order quantities apply Logo embroidery

• Logo embroidery


# Suitable for professionals working in the following industries:

- Glass and glazing
- Metal
- Ceramics
- Industrial manufacturing

Protective areas using 100% Cut-Tex® PRO

Recycling

| Material Content            | Cut-Tex <sup>®</sup> PRO, Polyester   | ((     |
|-----------------------------|---|--------|
| Cut Resistance              |   | CC     |
| EN ISO 13997 (TDM-100 Test) | Level E   | EN 388 |
| ANSI/ISEA 105-2016          | Level A5  | Y      |
| Abrasion Resistance         |   | 3X44E  |
| EN 388:2016                 | Level 3   | UK     |
| Tear Resistance             |   |        |
| EN 388:2016                 | Level 4   |        |
| Puncture Resistance         |   |        |
| EN 388:2016                 | Level 4   |        |
| Sizes                       | S - 5XL (See sizing guide on page 22)   |        |
| Colour                      | Cut-Tex <sup>®</sup> PRO - Grey Marl<br>Polyester - Orange  |        |
|                             | Other colour options available in non-Cut-Tex® PRC materials subject to minimum order volumes. Please us for more information |        |
| Place of Manufacture        | UK - CE PPE Regulation (EU) 2016/425  |        |



# Non-protected areas

CutPRO® branded products are unavailable in Canada, please contact us for other available branding options. UKCA module B 0338 Approved Body: BTTG, Unit 6 Wheel Forge Way, Trafford Park, Manchester, M17 1EH, United Kingdom. The Declaration of Conformity may be found on our website at: https://cutt.ly/cut-pro-doc



## Visit our website: www.cut-pro.com



## Product: CutPRO<sup>®</sup> Crew Neck Top with Full Armguard Model #: 100212

CutPRO<sup>®</sup> Cut Resistant Tops are manufactured using Cut-Tex<sup>®</sup> PRO, offering outstanding tested and certified levels of cut, abrasion, tear and puncture resistance.

## MOQs APPLY FOR THIS PRODUCT





#### Features and Benefits

- Cut-Tex<sup>®</sup> PRO is used to provide excellent cut resistance
- Full arm and shoulder protection
- Breathable polyester front and back
- Thumb holes
- 100% latex free

# Bespoke features available – please contact us for further details


\*Minimum order quantities apply Logo embroidery

Logo embroidery

# Suitable for professionals working in the following industries:

- Glass and glazing
- Metal
- Ceramics
- Industrial manufacturing
- Recycling

| Material Content            | Cut-Tex® PRO, Polyester  | "         |
|-----------------------------|--|-----------|
| Cut Resistance              |  | CC        |
| EN ISO 13997 (TDM-100 Test) | Level E  | EN 388    |
| ANSI/ISEA 105-2016          | Level A5   |           |
| Abrasion Resistance         |  | 3X44E     |
| EN 388:2016                 | Level 3  | <u>UK</u> |
| Tear Resistance             |  |           |
| EN 388:2016                 | Level 4  |           |
| Puncture Resistance         |  |           |
| EN 388:2016                 | Level 4  |           |
| Sizes                       | S - 5XL (See sizing guide on page 22)  |           |
| Colour                      | Cut-Tex® PRO - Grey Marl<br>Polyester - Orange<br>Other colour options available in non-Cut-Tex® PRC<br>materials subject to minimum order volumes. Pleas<br>us for more information |           |
| Place of Manufacture        | UK - CE PPE Regulation (EU) 2016/425   |           |



CutPRO® branded products are unavailable in Canada, please contact us for other available branding options. UKCA module B 0338 Approved Body: BTTG, Unit 6 Wheel Forge Way, Trafford Park, Manchester, M17 1EH, United Kingdom. The Declaration of Conformity may be found on our website at: https://cutt.ly/cut-pro-doc



## Visit our website: www.cut-pro.com



# Product: CutPRO<sup>®</sup> Crew Neck Top with Full Armguard and Belly Patch

Model #: 100217

CutPRO<sup>®</sup> Cut Resistant Tops are manufactured using Cut-Tex<sup>®</sup> PRO, offering outstanding tested and certified levels of cut, abrasion, tear and puncture resistance.

## MOQs APPLY FOR THIS PRODUCT





#### Features and Benefits

- Cut-Tex<sup>®</sup> PRO is used to provide excellent cut resistance
- Full arm, shoulder and abdomen protection
- Breathable polyester chest and back
- Thumb holes
- 100% latex free

# Bespoke features available – please contact us for further details


\*Minimum order quantities apply Logo embroidery

· Logo embroidery

# Suitable for professionals working in the following industries:

- Glass and glazing
- Metal
- Ceramics
- Industrial manufacturing
- Recycling

| Material Content            | Cut-Tex <sup>®</sup> PRO, Polyester   | ~      |
|-----------------------------|---|--------|
| Cut Resistance              |   | Œ      |
| EN ISO 13997 (TDM-100 Test) | Level E   | EN 388 |
| ANSI/ISEA 105-2016          | Level A5  |        |
| Abrasion Resistance         |   | 3X44E  |
| EN 388:2016                 | Level 3   | ŬК     |
| Tear Resistance             |   | CH     |
| EN 388:2016                 | Level 4   |        |
| Puncture Resistance         |   |        |
| EN 388:2016                 | Level 4   |        |
| Sizes                       | S - 5XL (See sizing guide on page 22)   |        |
| Colour                      | Cut-Tex® PRO - Grey Marl<br>Polyester - Orange<br>Other colour options available in non-Cut-Tex® PRC<br>materials subject to minimum order volumes. Please<br>us for more information |        |
| Place of Manufacture        | UK - CE PPE Regulation (EU) 2016/425  |        |



## areas

CutPRO® branded products are unavailable in Canada, please contact us for other available branding options. UKCA module B 0338 Approved Body: BTTG, Unit 6 Wheel Forge Way, Trafford Park, Manchester, M17 1EH, United Kingdom. The Declaration of Conformity may be found on our website at: https://cutt.ly/cut-pro-doc



## Visit our website: www.cut-pro.com



# Product: CutPRO<sup>®</sup> Turtleneck Top with Rear Half Zip and Breathable Back

Model #: 100221

CutPRO<sup>®</sup> Cut Resistant Turtleneck Pullovers are manufactured using Cut-Tex<sup>®</sup> PRO, offering outstanding tested and certified levels of cut, abrasion, tear and puncture resistance.

## MOQs APPLY FOR THIS PRODUCT





#### Features and Benefits

- Cut-Tex® PRO is used to provide excellent cut resistance
- Full front, arms, neck and shoulder protection
- Breathable polyester back and underarms
- Thumb holes
- 100% latex free

# Additional features available - please contact us for further details

\*Minimum order quantities apply

Logo embroidery


# Suitable for professionals working in the following industries:

- Glass and glazing
- Metal
- Ceramics
- Industrial manufacturing
- Recycling

| Material Content            | Cut-Tex <sup>®</sup> PRO, Polyester  | ((        |
|-----------------------------|--|-----------|
| Cut Resistance              |  |           |
| EN ISO 13997 (TDM-100 Test) | Level E  | EN 388    |
| ANSI/ISEA 105-2016          | Level A5   | Y         |
| Abrasion Resistance         |  | 3X44E     |
| EN 388:2016                 | Level 3  | <u>UK</u> |
| Tear Resistance             |  | СН        |
| EN 388:2016                 | Level 4  |           |
| Puncture Resistance         |  |           |
| EN 388:2016                 | Level 4  |           |
| Sizes                       | S - 5XL (See sizing guide on page 22)  |           |
| Colour                      | Cut-Tex <sup>®</sup> PRO - Grey Marl<br>Polyester - Black, Grey  |           |
|                             | Other colour options available in non-Cut-Tex® PRO subject to minimum order volumes. Please contact u more information |           |
| Place of Manufacture        | UK - CE PPE Regulation (EU) 2016/425   |           |

Protective areas using 100% Cut-Tex<sup>®</sup> PRO

Non-protected areas



CutPRO® branded products are unavailable in Canada, please contact us for other available branding options. UKCA module B 0338 Approved Body: BTTG, Unit 6 Wheel Forge Way, Trafford Park, Manchester, M17 1EH, United Kingdom. The Declaration of Conformity may be found on our website at: https://cutt.ly/cut-pro-doc



## Visit our website: www.cut-pro.com



## Product: CutPRO® Turtleneck Top with Rear Half Zip Model #: 100222

CutPRO<sup>®</sup> Cut Resistant Turtleneck Pullovers are manufactured using Cut-Tex<sup>®</sup> PRO, offering outstanding tested and certified levels of cut, abrasion, tear and puncture resistance.

## **MOQs APPLY FOR** THIS PRODUCT

#### **Features and Benefits**

- Cut-Tex® PRO is used to provide excellent cut resistance
- Full front, arms, neck, shoulder and back protection
- Thumb holes
- 100% latex free ٠

#### Additional features available - please contact us for further details

\*Minimum order quantities apply

• Logo embroidery

#### Suitable for professionals working in the following industries:

- Glass and glazing
- Metal
- Ceramics
- Industrial manufacturing
- Recycling





| Material Content            | Cut-Tex <sup>®</sup> PRO, Polyester   | ((     |
|-----------------------------|---------------------------------------|--------|
| Cut Resistance              |                                       |        |
| EN ISO 13997 (TDM-100 Test) | Level E                               | EN 388 |
| ANSI/ISEA 105-2016          | Level A5                              |        |
| Abrasion Resistance         |                                       | 3X44E  |
| EN 388:2016                 | Level 3                               | UK     |
| Tear Resistance             |                                       |        |
| EN 388:2016                 | Level 4                               |        |
| Puncture Resistance         |                                       |        |
| EN 388:2016                 | Level 4                               |        |
| Sizes                       | S - 5XL (See sizing guide on page 22) |        |
| Colour                      | Cut-Tex <sup>®</sup> PRO - Grey Marl  |        |
| Place of Manufacture        | UK - CE PPE Regulation (EU) 2016/425  |        |



UKCA module B 0338 Approved Body: BTTG, Unit 6 Wheel Forge Way, Trafford Park, Manchester, M17 1EH, United Kingdom. The Declaration of Conformity may be found on our website at: https://cutt.ly/cut-pro-doc



## Visit our website: www.cut-pro.com



## Product: CutPRO<sup>®</sup> Trousers with Front Protection Model #: 100206

CutPRO<sup>®</sup> Cut Resistant Trousers are manufactured using Cut-Tex<sup>®</sup> PRO – offering absolutely outstanding, tested and certified levels of cut, abrasion, tear and puncture resistance.





| Material Content            | Cut-Tex® PRO, Nylon, Polyester, Cotton, Velcro   |
|-----------------------------|--|
| Cut Resistance              |  |
| EN ISO 13997 (TDM-100 Test) | Level E EN 388   |
| ANSI/ISEA 105-2016          | Level A5   |
| Abrasion Resistance         | 3X44E  |
| EN 388:2016                 | Level 3  |
| Tear Resistance             | CA   |
| EN 388:2016                 | Level 4  |
| Puncture Resistance         |  |
| EN 388:2016                 | Level 4  |
| Sizes                       | Waist: 30"/32"/34"/36"/38"/0"/42"/44"/46"/48"<br>Adjustable leg lengths between 30 – 34 inches<br>(See sizing guide on page 22)                  |
| Colour                      | Cut-Tex <sup>®</sup> PRO - Grey Marl<br>Piping - Orange<br>Polycotton - Grey   |
|                             | Other colour options available in non-Cut-Tex <sup>®</sup> PRO material subject to minimum order volumes. Please contact us for more information |
| Place of Manufacture        | UK - CE PPE Regulation (EU) 2016/425   |



- Cut-Tex<sup>®</sup> PRO is used to provide excellent cut resistance
- Full front leg protection
- Knee patches
- Bright orange piping
- Belt loops
- Front and rear pockets
- Side leg pocket
- D-ring attachment
- 100% latex free


# Bespoke features available – please contact us for further details

\*Minimum order quantities apply Logo embroidery

• Garment available with front and back protection (100216)


## Suitable for professionals working in the following industries:

- · Glass and glazing
- Metal
- Ceramics
- Industrial manufacturing
- Recycling



Non-protected areas





CutPRO® branded products are unavailable in Canada, please contact us for other available branding options. UKCA module B 0338 Approved Body: BTTG, Unit 6 Wheel Forge Way, Trafford Park, Manchester, M17 1EH, United Kingdom. The Declaration of Conformity may be found on our website at: https://cutt.ly/cut-pro-doc



## Visit our website: www.cut-pro.com



## Product: CutPRO® Trousers with Front and Back Protection Model #: 100216

CutPRO<sup>®</sup> Cut Resistant Trousers are manufactured using Cut-Tex® PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion, tear and puncture resistance.

## **MOQs APPLY FOR** THIS PRODUCT

#### Features and Benefits

- Cut-Tex® PRO is used to provide excellent cut resistance
- Full front, lower back leg and groin protection
- Knee patches
- Bright orange piping
- Belt loops
- Rear pockets
- Side leg pocket
- D-ring attachment
- 100% latex free

#### Suitable for professionals working in the following industries:

- · Glass and glazing
- Metal
- Ceramics
- Industrial manufacturing
- Recycling





Protective areas using 100% Cut-Tex® PRO



CutPRO® branded products are unavailable in Canada, please contact us for other available branding options. UKCA module B 0338 Approved Body: BTTG, Unit 6 Wheel Forge Way, Trafford Park, Manchester, M17 1EH, United Kingdom. The Declaration of Conformity may be found on our website at: https://cutt.ly/cut-pro-doc



## Visit our website: www.cut-pro.com



| Material Content            | Cut-Tex® PRO, Nylon, Polyester, Cotton, Velcro   |
|-----------------------------|--|
| Cut Resistance              |  |
| EN ISO 13997 (TDM-100 Test) | Level E EN 388   |
| ANSI/ISEA 105-2016          | Level A5   |
| Abrasion Resistance         | 3X44E  |
| EN 388:2016                 | Level 3  |
| Tear Resistance             | CA   |
| EN 388:2016                 | Level 4  |
| Puncture Resistance         |  |
| EN 388:2016                 | Level 4  |
| Sizes                       | Waist: 30"/32"/34"/36"/38"/0"/42"/44"/46"/48"<br>Adjustable leg lengths between 30 – 34 inches<br>(See sizing guide on page 22)            |
| Colour                      | Cut-Tex <sup>®</sup> PRO - Grey Marl<br>Piping - Orange<br>Polycotton - Grey   |
|                             | Other colour options available in non-Cut-Tex® PRO material<br>subject to minimum order volumes. Please contact us for<br>more information |
| Place of Manufacture        | UK - CE PPE Regulation (EU) 2016/425   |



## Product: CutPRO<sup>®</sup> Full Length Apron Model #: 100213

CutPRO<sup>®</sup> Cut Resistant Aprons are manufactured using Cut-Tex<sup>®</sup> PRO – offering absolutely outstanding, tested and certified levels of cut, abrasion, tear and puncture resistance.



| Material Content            | Cut-Tex® PRO, Nylon, Polyester, Cotton | — (F      |
|-----------------------------|--|-----------|
| Cut Resistance              |  |           |
| EN ISO 13997 (TDM-100 Test) | Level E                                | EN 388    |
| ANSI/ISEA 105-2016          | Level A5                               |           |
| Abrasion Resistance         |  | 3X44      |
| EN 388:2016                 | Level 3                                |           |
| Tear Resistance             |  | — <b></b> |
| EN 388:2016                 | Level 4                                |           |
| Puncture Resistance         |  |           |
| EN 388:2016                 | Level 4                                |           |
| Sizes                       | One size (See sizing guide on page 22) |           |
| Colour                      | Cut-Tex <sup>®</sup> PRO - Grey Marl   |           |
| Place of Manufacture        | UK - CE PPE Regulation (EU) 2016/425   |           |

Features and Benefits

- Cut-Tex<sup>®</sup> PRO is used to provide excellent cut resistance
- Full cut protection
- Clip-on adjustable straps
- 100% latex free

# Suitable for professionals working in the following industries:

- Glass and glazing
- Metal
- Ceramics
- Industrial manufacturing
- Recycling

Protective areas using 100% Cut-Tex<sup>®</sup> PRO

Non-protected areas





CutPRO® branded products are unavailable in Canada, please contact us for other available branding options. UKCA module B 0338 Approved Body: BTTG, Unit 6 Wheel Forge Way, Trafford Park, Manchester, M17 1EH, United Kingdom. The Declaration of Conformity may be found on our website at: https://cutt.ly/cut-pro-doc



Visit our website: www.cut-pro.com



## Product: CutPRO<sup>®</sup> Half Apron Model #: 100214

CutPRO<sup>®</sup> Cut Resistant Aprons are manufactured using Cut-Tex<sup>®</sup> PRO – offering absolutely outstanding, tested and certified levels of cut, abrasion, tear and puncture resistance.



| Material Content            | Cut-Tex® PRO, Nylon, Polyester, Cotton | - (6   |
|-----------------------------|--|--------|
| Cut Resistance              |  |        |
| EN ISO 13997 (TDM-100 Test) | Level E                                | EN 388 |
| ANSI/ISEA 105-2016          | Level A5                               | - 47   |
| Abrasion Resistance         |  | 3X44E  |
| EN 388:2016                 | Level 3                                |        |
| Tear Resistance             |  |        |
| EN 388:2016                 | Level 4                                |        |
| Puncture Resistance         |  |        |
| EN 388:2016                 | Level 4                                |        |
| Sizes                       | One size (See sizing guide on page 22) |        |
| Colour                      | Cut-Tex® PRO - Grey Marl               |        |
| Place of Manufacture        | UK - CE PPE Regulation (EU) 2016/425   |        |

Features and Benefits

- Cut-Tex<sup>®</sup> PRO is used to provide excellent cut resistance
- Full cut protection
- Various sized pockets
- Clip-on adjustable strap
- 100% latex free

# Suitable for professionals working in the following industries:

- Glass and glazing
- Metal
- Ceramics
- Industrial manufacturing
- Recycling

Protective areas using 100% Cut-Tex® PRO

No

Non-protected areas





CutPRO® branded products are unavailable in Canada, please contact us for other available branding options. UKCA module B 0338 Approved Body: BTTG, Unit 6 Wheel Forge Way, Trafford Park, Manchester, M17 1EH, United Kingdom. The Declaration of Conformity may be found on our website at: https://cutt.ly/cut-pro-doc



## Visit our website: www.cut-pro.com




## Product: CutPRO<sup>®</sup> Split Apron Model #: 100215

CutPRO® Cut Resistant Aprons are manufactured using Cut-Tex® PRO – offering absolutely outstanding, tested and certified levels of cut, abrasion, tear and puncture resistance.






| Material Content            | Cut-Tex® PRO, Nylon, Polyester, Cotton | — (F         |
|-----------------------------|--|--------------|
| Cut Resistance              |  |              |
| EN ISO 13997 (TDM-100 Test) | Level E                                | EN 388       |
| ANSI/ISEA 105-2016          | Level A5                               |              |
| Abrasion Resistance         |  | 3X44E        |
| EN 388:2016                 | Level 3                                |              |
| Tear Resistance             |  | _ <b>_</b> r |
| EN 388:2016                 | Level 4                                |              |
| Puncture Resistance         |  |              |
| EN 388:2016                 | Level 4                                |              |
| Sizes                       | One size (See sizing guide on page 22) |              |
| Colour                      | Cut-Tex <sup>®</sup> PRO - Grey Marl   |              |
| Place of Manufacture        | UK - CE PPE Regulation (EU) 2016/425   |              |



- Cut-Tex<sup>®</sup> PRO is used to provide excellent cut resistance
- Full cut protection
- Clip-on adjustable straps
- 100% latex free


# Suitable for professionals working in the following industries:

- Glass and glazing
- Metal
- Ceramics
- Industrial manufacturing
- Recycling



Non-protected areas





CutPRO® branded products are unavailable in Canada, please contact us for other available branding options. UKCA module B 0338 Approved Body: BTTG, Unit 6 Wheel Forge Way, Trafford Park, Manchester, M17 1EH, United Kingdom. The Declaration of Conformity may be found on our website at: https://cutt.ly/cut-pro-doc



## Visit our website: www.cut-pro.com



Product: CutPRO® Lab Coat Model #: 100207

CutPRO<sup>®</sup> Cut Resistant Coats are manufactured using Cut-Tex® PRO - offering absolutely outstanding, tested and certified levels of cut, abrasion, tear and puncture resistance.

## **MOQs APPLY FOR** THIS PRODUCT

#### Features and Benefits

- Cut-Tex® PRO is used to provide excellent cut resistance
- Full front, neck, shoulder and arm protection
- Cool mesh back
- Inside breast pocket
- Full front zip with added Velcro
- 100% latex free

#### Suitable for professionals working in the following industries:

- Glass and glazing
- Metal
- Ceramics
- Industrial manufacturing
- Recycling

Non-protected areas

| Material Content            | Cut-Tex <sup>®</sup> PRO, Nylon       | — CE   |
|-----------------------------|---------------------------------------|--------|
| Cut Resistance              |                                       |        |
| EN ISO 13997 (TDM-100 Test) | Level E                               | EN 388 |
| ANSI/ISEA 105-2016          | Level A5                              |        |
| Abrasion Resistance         |                                       | 3X44E  |
| EN 388:2016                 | Level 3                               | UK     |
| Tear Resistance             |                                       | CH     |
| EN 388:2016                 | Level 4                               |        |
| Puncture Resistance         |                                       |        |
| EN 388:2016                 | Level 4                               |        |
| Sizes                       | S - 5XL (See sizing guide on page 22) |        |
| Colour                      | Cut-Tex® PRO - Grey Marl              |        |




CutPRO® branded products are unavailable in Canada, please contact us for other available branding options. UKCA module B 0338 Approved Body: BTTG, Unit 6 Wheel Forge Way, Trafford Park, Manchester, M17 1EH, United Kingdom. The Declaration of Conformity may be found on our website at: https://cutt.ly/cut-pro-doc



## Visit our website: www.cut-pro.com





#### CutPRO® Chest – Size Guide

|                         | S      | Μ       | L       | XL      | 2XL     | 3XL     | 4XL     | 5XL     |
|-------------------------|--------|---------|---------|---------|---------|---------|---------|---------|
| A To fit CHEST (inches) | 38-40" | 40-42"  | 42-44"  | 44-46"  | 46-48"  | 48-50"  | 50-52"  | 52-54"  |
| To fit CHEST (cm)       | 92-102 | 102-107 | 107-112 | 112-117 | 117-120 | 120-127 | 127-132 | 132-137 |

#### CutPRO® Waist – Size Guide

| B Waist Size (inches)    | 30" | 32" | 34" | 36" | 38" | 40" | 42" | 44" | 46" | 48" |
|--------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Waist Size (cm)          | 76  | 81  | 86  | 91  | 96  | 101 | 106 | 111 | 116 | 121 |
| Tall Leg to fit 33"/86cm | 33" | 33" | 33" | 33" | 33" | 33" | 33" | 33" | N/A | N/A |

#### CutPRO® Sleeve – Size Guide

| Size                            | S  | Μ  | L  | XL |
|---------------------------------|----|----|----|----|
| D Actual Sleeve Length (cm)     | 30 | 32 | 33 | 34 |
| E Actual Cuff Width - flat (cm) | 9  | 10 | 11 | 12 |
| F Actual Arm Width - flat (cm)  | 11 | 12 | 13 | 14 |

#### CutPRO® Apron (all with fully adjustable straps) – Size Guide

| Product                   | Full Apron 100213 | Half Apron 100214 | Split Apron 100215 |
|---------------------------|-------------------|-------------------|--------------------|
| Actual width (cm) - waist | 60                | 60                | 60                 |
| Actual length (cm)        | 90                | 75                | 55                 |



## Visit our website: www.cut-pro.com

# **Important Information**

- Do not use this product for protection from high speed or serrated blade
- Do not use this product near moving machines or where there is a risk of entanglement
- Do not use this product for food processing
- This product is designed to minimise the risk of injury from potential hazards in the
- industrial work space (abrasions, cuts, tears and puncture)
- This product is used only for the designated purpose, no item of PPE can provide full protection
- This product is not designed to protect the hands, gloves are to be worn when required
- This product does not protect from hypodermic needles or similar sharp pointed objects
- Care and attention must always be taken when carrying out potential hazardous activities
- Cut-Tex<sup>®</sup> PRO is an ultra-high performance cut resistant fabric. However, it is not completely cut proof.
- CutPRO® garments should be stored in a temperate dry environment.
- If you suspect aging or loss of performance with your product please contact us directly and email in photographic images.
- Do not attempt to repair CutPRO® Clothing garments yourself. Specialised PPE providers use specialist threads to stitch and sew garments.
- CutPRO® garments are not recyclable. For safe disposal please return your product to CutPRO® Clothing Ltd.

#### Maintenance

- Do not wear this product if damaged, always inspect prior to use
- Do not leave in a contaminated condition, launder immediately
- When not worn, store this product in cool dry conditions away from direct sunlight
- Wash dark colours separately
- Do not wash with fabric conditioner
- Reshape whilst damp



CutPRO® branded products are unavailable in Canada, please contact us for other available branding options. UKCA module B 0338 Approved Body: BTTG, Unit 6 Wheel Forge Way, Trafford Park, Manchester, M17 1EH, United Kingdom. The Declaration of Conformity may be found on our website at: https://cutt.ly/cut-pro-doc



Visit our website: www.cut-pro.com

# Contact

## **CutPRO® Clothing Limited**

Unit 603 Avenue D Thorp Arch Estate Wetherby LS23 7FS United Kingdom

- T: +44 (0) 845 5193 953
- E: info@cut-pro.com
- $\mathsf{W:} \ \textbf{www.cut-pro.com}$

# **Follow Us**

- 🗗 /cutp
  - /cutproclothing
- in.

/cutproclothing

/company/cutpro-cut-resistant-clothing



O

/CutPROclothing



Visit our website: www.cut-pro.com